SERVICE MANUAL

RA-1 CHASSIS

MODEL	COMMANDER	DEST.	CHASSIS NO.	MODEL	COMMANDER	DEST. CHASSIS NO.
KP-41T25	RM-Y121	us	SCC-H53L-A	KP-46S17	RM-Y121	Canadian SCC-H58J-A
KP-41T25	RM-Y121	Canad	dian SCC-H58H-A	KP-53S17	RM-Y121	Canadian SCC-H58K-A
KP-46S25	RM-Y118	US	SCC-H53J-A			
KP-53S25	RM-Y118	us	SCC-H53K-A			

Note:

1. This servce manual handles differences from KP-41T15/46 S15/53S15(RA-1 Chassis)service manual only. Please use this service manual together with that of KP-41 T15/46S15/53S15(RA-1 Chassis).

KP-41T15/46S15/53S15(RA-1 Chassis)service manual Part No.

	Service manual	Adjustment Manual
Part No.	9-965-042-01	9-965-043-01

2. Adjustment Manual for this model is separately published.


	Adjustment Manual
Part No.	9-965-101-11



RM-Y121 RM-Y118



KP-41T25



KP-46S25/53S25



TRINITRON® COLOR TV SONY

* Please file according to model size.

SPECIFICATIONS

Projection system	3 picture tubes, 3 lenses, horizontal in- line system	Speaker Full range speaker 100 mm (3.9 inches) diameter			
Picture tube	7 inch high-brightness monochrome	Speaker output 10 W x 2			
1 lotare tabe	tubes (6.3 rester size), with optical	Power requirement 120 V, 60 Hz			
	coupling and liquid cooling system	Power consumption 220 W			
Projection lenses	High performance, large-diameter	Standby mode: 4 W			
•	hybrid lens F1.0				
Screen size (measure	•	Dimensions (W/H/D) Mass			
	KP-41T25 41 inches	KP-41T25 951 x 1,000 x 588 mm 53 kg			
	KP-46S17 46 inches	(37 1/2 x 39 3/8 x 23 1/4 inches) (116 lbs 1 oz)			
	KP-53S17 53 inches	KP-46S17 1,066 x 1,306 x 543 mm 70 kg			
	KP-46S25 46 inches	(42 x 51 1/2 x 21 1/2 inches) (154 lbs 5 oz)			
	KP-53S25 53 inches	KP-53S17 1,218 x 1,413 x 594 mm 75 kg			
		(48 x 55 3/4 x 23 1/2 inches) (165 lbs 6 oz)			
Screen brightness	KP-41T25 1900 cd/m ²	KP-46S25 1,066 x 1,306 x 543 mm 70 kg			
Screen originaless		(42 x 51 1/2 x 21 1/2 inches) (154 lbs 5 oz)			
	KP-46S17 1500 cd/m ²	KP-53S25 1,218 x 1,413 x 594 mm 75 kg			
	KP-53S17 1200 cd/m ²	(48 x 55 3/4 x 23 1/2 inches) (165 lbs 6oz) Supplied accessories Remote			
	KP-46S25 1500 cd/m ²	commander RM-Y121 (1)(For KP-41T25,46S17/53S17)			
	KP-53S25 1200 cd/m ²	RM-Y118 (1)(For KP-46S25,53S25)			
Television system	American TV standards	Size AA (R6) battery (1)			
Channel coverage	VHF: 2-13 / UHF: 14-69 /	Optional accessories U/V mixer EAC-66			
	CATV: 1-125	Connecting cables RK-74A,			
Antenna	75 ohm external antenna terminal for	VMC-810S/820S, YC-15V/30V,			
Tomorto /outuret	VHF/UHF	VMC-720M			
Inputs/output	VIDEO IN 1	Video tray SU-PJT2 (For KP-46S17,			
	S VIDEO IN (4-pin mini DIN): Y: 1 Vp-p, 75-ohms	KP-53S17,KP-46S25,KP-53S25)			
	unbalanced, sync negative	Stand SU-41T1 (For KP-41T25)			
	C: 0.286 Vp-p (Burst signal) 75 ohms	High - contrast protective screen			
	VIDEO (phone jack):	SCN-41X1 (For KP-41T25)			
	1 Vp-p, 75-ohms	SCN-46X1 (For KP-46S17,KP-46S25)			
	unbalanced, sync negative	SCN-53X1 (For KP-53S17,KP-53S25)			
	AUDIO (phone jacks):				
	500 mVrms (100% modulation)				
	Impedance: 47 kilohms	Design and specifications are subject to change without notice.			
	VIDEO INPUT 2 and VIDEO IN 3				
	VIDEO (phone jacks):				
	1 Vp-p, 75-ohms				
	unbalanced, sync negative				
	AUDIO (phone jacks):				
	500 mVrms (100% modulation)				
	Impedance: 47 kilohms	1			
	MONITOR OUT				
	VIDEO (phone jack):				
	1 Vp-p, 75-ohms				
	unbalanced, sync negative				

AUDIO (phone jacks) ·

Impedance: 5 kilohms

500 mVrms (100% modulation) Impedance : 10 kilohms AUDIO OUT (phono jacks) : 900 mVrms (100% modulation)

SAFETY CHECK-OUT

(US model only)

After correcting the original service problem, perfom the following safety checks before releasing the set to the customer:

- Check the area of your repair for unsoldered or poorly-soldered connections. Check the entire board surface for solder splashes and bridges.
- 2. Check the interboard wiring to ensure that no wires are "pinched" or contact high-wattage resistors.
- Check that all control knobs, shields, covers, ground straps, and mounting hardware have been replaced. Be absolutely certain that you have replaced all the insulators.
- Look for unauthorized replacement parts, particularly transistors, that were installed during a previous repair. Point them out to the customer and recommend their replacement.
- Look for parts which, through functioning, show obvious signs of deterioration. Point them out to the customer and recom mend their replacement.
- 6 Check the line cords for cracks and abrasion. Recommend the replacement of any such line cord to the customer.
- 7. Check the condition of the monopole antenna (if any). Make sure the end is not broken off, and has the plastic cap on it. Point out the danger of impalement on a broken antenna to the customer, and recommend the antenna's replacement
- Check the B+ and HV to see they are at the values specified.
 Make sure your instruments are accurate; be suspicious of your HV meter if sets always have low HV.
- Check the antenna temminals, metal trim, "metallized" knobs, screws, and all other exposed metal parts for AC leakage. Check leakage as described below.


LEAKAGE TEST

The AC leakage from any exposed metal part to earth ground and from all exposed metal parts to any exposed metal part having a return to chassis, must not exceed 0.5mA (500 microampers). Leakage current can be measured by any one of three methods.

- A commercial leakage tester, such as the Simpson 229 or RCA WT-540A. Follow the manufacturers' instructions to use these instruments.
- A battery-operated AC milliammeter. The Data Precision 245 digital multimeter is suitable for this job.
- 3. Measuring the voltage drop across a resistor by means of a VOM or battery-operated AC voltmeter. The "limit" indication is 0.75V, so analog meters must have an accurate lowvoltage scale. The Simpson 250 and Sanwa SH-63Trd are examples of a passive VOM that is suitable. Nearly all battery operated digital multimeters that have a 2V AC range are suitable (See Fig. A)

HOW TO FIND A GOOD EARTH GROUND

A cold-water pipe is guaranteed earth ground; the cover-plate retaining screw on most AC outlet boxes is also at earth ground. If the retaining screw is to be used as your earth-ground, verify that it is at ground by measuring the resistance between it and a cold-water pipe with an ohmmeter. The reading should be zero ohms. If a cold-water pipe is not accessible, connect a 60-100 watts trouble light (not a neon lamp) between the hot side of the receptacle and the retaining screw. Try both slots, if necessary, to locate the hot side of the line, the lamp should light at normal brilliance if the screw is at ground potential. (See Fig. B)






TABLE OF CONTENTS

	Section	Title	Page	Sec	ction	<u>Title</u> <u>Pa</u>	ge
2.	DISAS 2-1-1 2-1-2. 2-2. 2-3. 2-4 2-5. 2-6. 2-7. 2-8-1.	SEMBLY REAR PLATE REMOVAL (KP-41T25)	25 25 25 25 26 26 26 26 26 27	3.	2-9-1. 2-9-2. 2-10-1 2-10-2 2-11. 2-12. SAFE DIAGI 4-1. 4-2	BEZNET REMOVAL (KP-41T25) BEZNET REMOVAL (KP-46S25/53S25) MIRROR COVER REMOVAL (KP-41T25) MIRROR COVER REMOVAL (KP-46S25/53S25) HIGH-VOLTAGE CABLE INSTALLATION AND REMOVAL PICTURE TUBE REMOVAL. TY RELATED ADJUSTMENTS RAMS Circuit Boards Location Printed Wiring Board and Schematic Diagrams + HA Board • A Board • U Board • U Board • W Board • E Board • E Board • ZB Board • ZB Board • ZR Board • ZR Board • CR Board • CR Board • CR Board • CB Board	27 27 28 28 28 28 28 28 28 35 36 41 44 51 54 61 66 73 76 76 78 78 82 83 83 83 84 84 84 84 84 84 84 84 84 84 84 84 84
				5.	EXPL	ODED VIEWS	
					5-1. 5-2	SCREEN AND CONTROL BLOCK	
					5-2 5-3.	DC AND E BLOCK	
					5-4.	SHIELD AND MIRROR HOLDER BLOCK	
				6.	ELEC	TRICAL PARTS LIST	91

(CAUTION)

SHORT CIRCUIT THE ANODE OF THE PICTURE TUBE AND THE ANODE CAP TO THE METAL CHASSIS, CRT SHIELD, OR CARBON PAINTED ON THE CRT. AFTER REMOVING THE ANODE.

WARNING!!

AN ISOLATION TRANSFORMER SHOULD BE USED DURING ANY SERVICE TO AVOID POSSIBLE SHOCK HAZARD, BECAUSE OF LIVE CHASSIS.

THE CHASSIS OF THIS RECEIVER IS DIRECTLY CONNECTED TO THE AC POWER LINE.

SAFETY-RELATED COMPONENT WARNING!!

COMPONENTS IDENTIFIED BY SHADING AND MARK & ON THE SCHEMATIC DIAGRAMS, EXPLODED VIEWS AND IN THE PARTS LIST ARE CRITICAL TO SAFE OPERATION. REPLACE THESECOMPONENTS WITH SONY PARTS WHOSE PART NUMBERS APPEAR AS SHOWN IN THIS MANUAL OR IN SUPPLEMENTS PUBLISHED BY SONY. CIRCUIT ADJUSTMENTS THAT ARE CRITICAL TO SAFEOPERATION ARE IDENTIFIED IN THIS MANUAL. FOLLOW THESE PROCEDURES WHENEVER CRITICAL COMPONENTS ARE REPLACED OR IMPROPER OPERATION IS SUSPECTED.

(ATTENTION)

APRES AVOIR DECONNECTE LE CAP DE L'ANODE, COURTCIR-CUITER L'ANODE DU TUBE CATHODIQUE ET CELUI DE L'ANODE DU CAP AU CHASSIS METALLIQUE DE L'APPAREIL, OU AU COUCHE DE CARBONE PEINTE SUR LE TUBE CATHODIQUE OU AU BLINDAGE DU TUBE CATHODIQUE.

ATTENTION!!


AFIN D'EVITER TOUT RISQUE DELECTROCUTION PROVENANT D'UN CHÁSSIS SOUS TENSION, UN TRANSFORMATEUR D'ISOLEMENT DOIT ETRE UTILISÉ LORS DE TOUT DEPANNAGE. LE CHÁSSIS DE CE RECEPTEUR EST DIRECTEMENT RAC-CORDÉ Á L'ALIMENTATION SECTEUR.

ATTENTION AUX COMPOSANTS RELATIFS ÁLA SÉCURITÉ!!


LES COMPOSANTS IDENTIFIÉS PAR UNE TRAME ET PAR UNE MAPQUE ▲ SUR LES SCHÉMAS DE PRINCIPE, LES VUES EXPLOSÉES ET LES LISTES DE PIECES CONT D'UNEIMPORTANCE CRITIQUE POUR LA SÉCURITÉ DU FONCTIONNEMENT. NE LES REMPLACER QUE PAR DES COMPOSANTS SONY DONT LE NUMÉRO DE PIÉCE EST INDIQUÉ DANS LE PRÉSENT MANUEL OU DANS DES SUPPLÉMENTS PUBLIÉS PAR SONY. LES RÉGLAGES DE CIRCUIT DONT L'IMPORTANCE EST CRITIQUE POUR LA SÉCURITÉ DU FONCTIONNEMENT SONT IDENTIFIES DANS LE PRÉSENT MANUEL. SUIVRE CES PROCÉDURES LORS DE CHAQUE REMPLACEMENT DE COMPOSANTS CRITIQUES, OU LORSQU'UN MAUVAIS FONCTIONNEMENT EST SUSPECTÉ.

SECTION 2 DISASSEMBLY


2-1-1. REAR PLATE REMOVAL (KP-41T25)



2-2. CHASSIS ASSY REMOVAL




2-1-2. REAR PLATE REMOVAL (KP-46S25/53S25)




2-3. SERVICE POSITION


· Remove the chassis assy (Refer to 2-2.)




2-4. G BOARD REMOVAL



2-6. U BOARD REMOVAL




2-5. D BOARD REMOVAL




2-7. M BOARD REMOVAL


- ① Remove the D board. (Refer to 2-5.)
- ② Remove the U board. (Refer to 2-6.)




2-8-1. HA BOARD REMOVAL (KP-41T25)




2-9-1. BEZNET REMOVAL (KP-41T25)




2-8-2. HA BOARD REMOVAL (KP-46S25/53S25)




2-9-2. BEZNET REMOVAL (KP-46S25/53S25)




2-10-1. MIRROR COVER REMOVAL (KP-41T25)




2-11.HIGH-VOLTAGE CABLE INSTALLATION AND REMOVAL



2-10-2. MIRROR COVER REMOVAL (KP-46S25/53S25)



2-12. PICTURE TUBE REMOVAL



SECTION 3 SAFETY RELATED ADJUSTMENTS

ADJUSTMENT ITEM AND PROCEDURE	EQUIPMENT AND SIGNAL	MEASUREMENT POSITION	ADJUSTMENT LOCATION	ILLUSTRATION AND SHAPE AND NUMBER
HV HOLD DOWN CIRCUIT OPERATIONS CHECK AND ADJUSTMENT (*M RESISTOR)			* ■ R809, R988	E BOARD – COMPONENT SIDE –
When replacing the parts marked * on the right, check the HV hold down and adjust.		* marked parts C818, D804, D806, D809, D909, D912, Q915, R809, R855, R856, R857, R858, R954, R955, R983, R984, R988, R991, R995, R996, R998, T801,T803 FBT E board HV Block		CN886 CN885
 Remove the cap for the unconnected pin in the *high-voltage block and connect a *Static Voltmeter meter. Input 130 VAC power. 	*Static Voltmeter	*HV Block		Remove the cap off from the unused terminal and connect a static voltmeter there.
Receive the *Dot siganl and set the *PICTURE and BRIGHTNESS settings to their minimums.	*Dot pattern		*PICTUREminimum BRIGHTNESS	
 Connect a *33 kΩ variable resistor across the E board *CN885 connector (with the variable resistor set to its maximum). 			minimum	* CN885 O O E board VR33kΩ

- 29

ADJUSTMENT ITEM AND PROCEDURE	EQUIPMENT AND SIGNAL	MEASUREMENT POSITION	ADJUSTMENT LOCATION	ILLUSTRATION AND SHAPE AND NUMBER
 Gradually lower the value of the variable resistor and check that the hold down circuit operates at a Static Voltmeter reading of *33.7 ± 0.75 kVDC and that the rasters disappear at Static Voltmeter reading of *34.45VDC or higher, remove resistor *R809 and mount a *16.0 kΩ 1/4W RN at *R988. If hold-down can not be adjusted to specification using a 16.0 kΩ resister, use a 13.0 kΩ resister. If the hold down circuit operates and the rasters disappear at Static Voltmeter reading of *32.9 VDC or lower, remove resistor R809 and mount *6.2 kΩ 1/4W RN at *R988. Check Item 5 again. HV REGULATION CIRCUIT CHECK AND ADJUSTMENT (* RESISTOR) When replacing the parts marked * on the right, check the Fregulation and adjust. Input 120 VAC power. Receive the *Dot signal and set the *PICTURE and BRIGHTNESS settings to their minimums. 	a O a I I I I I I I I I I I I I I I I I	* marked parts C918, C930, C934, C980, D902, D920, D925, Q909, R808, R851, R929, R936, R939, R942, R944, R945, R946, R947, R950, R960, R965, R967, R971, R975, R976, R982, R983, R985, R998	*R988 *R988 *R988 *R988 *PICTUREminimum BRIGHTNESSminimum	*33.7 ± 0.75 kVDC *34.45 VDC or higher *16.0 kΩ 1/4W *32.95 VDC or lower *6.2 kΩ 1/4W R809 R988 E BOARD – COMPONENT SIDE – CN886 CN885 CN884 CN884 CN889 R809 R809 R808

ADJUSTMENT ITEM AND PROCEDURE	STMENT ITEM AND PROCEDURE EQUIPMENT MEASURE AND SIGNAL POSITION		ADJUSTMENT LOCATION	ILLUSTRATION AND SHAPE AND NUMBER	
 Check that the Static Voltmeter reading is *31. ^{40.45}_{-0.65} kVDC. If the Static Voltmeter reading is *30.4 kV or lower, remove resistor *R808 and mount *5.6 kΩ 1/4W RN at *R983. If the Static Voltmeter reading is *31.4 KV or higher, remove resistor *R808 and mount *8.2 kΩ 1/4W RN at *R983. If the Static Voltmeter reading is *32.0 kV or higher, remove resistor *R808 and mount *10.0 kΩ 1/4W RN at *R983. If any of Items 5, 6 or 7 has been implemented, check Item 4 again. 			*R983 *R983 *R983	*31.0 ^{40.45} / _{-0.65} kVDC *30.4 kV or lower *5.6 kΩ 1/4W *31.4 KV or higher *8.2 kΩ 1/4W *32.0 kV or higher *10.0 kΩ 1/4W	
HV HOLD DOWN AND HV REGULATOR SIMPLE ADJUSTMENT It is normally desirable that the HV hold down and HV regulation checks use a high-voltage meter. However, sometime one is not available, for example in the field, below is a simple adjustment method. When replacing parts with the mark, replace both the resistors with the mark *R808 (R988) and *R809 (R983) with resistors one rank lower in the E-12 series. Do not replace just one of these resistors! Always replace both with resistors one rank lower.			*R808 (R988) *R809 (R983)	* E board CN886 CN885 O O O O O-W-O R809 R808 R988 R983	

ADJUSTMENT ITEM AND PROCEDURE	EQUIPMENT AND SIGNAL	MEASUREMENT POSITION	ADJUSTMENT LOCATION	ILLUSTRATION AND SHAPE AND NUMBER
OVERVOLTAGE PROTECTION (OVP) OPERATIONS CHECK				
 Connect a *220 kΩ variable resistance rheostat to the G board C655 (between Pins ③ and ⑤ of IC651). 				* IC651 (S)(4)(3) (1) *VR 220kΩ ** ** ** ** ** ** ** ** **
 Input *120.0 ± 1.0 VAC, 60 Hz power. Receive the *Dot signal and set the *PICTURE and BRIGHTNESS settings to their minimums. 	*Dot pattern		*PICTUREminimum BRIGHTNESS	*120.0 ± 1.0 VAC, 60 Hz
 4. Gradually lower the value of the connected variable resistance and check that when the +B line *voltage is *143.5 ± 5.5 VDC, the overvoltage circuit operates and the rasters disappear. 5. Remove the variable resistor and check the +B line voltage. 	*Digital Multimeter		minimum	*143.5 ± 5.5 VDC
 BEAM CURRENT (∑Ik) PROTECTION CIRCUIT CHECK Connect the *ABL ammeter between *Pins ① and ④ of the CN884 on the E board. Have Pins ② and ③ open. 	*Ammeter			* CN884 (E board) 5 0 0 0 1 ABL ammeter A character
 Input *120.0 ± 1.0 VAC, 60 Hz power. Receive a *monoscope signal and set the *PICTURE and BRIGHTNESS settings to their minimums. 	*Monoscope pattern		*PICTUREminimum BRIGHTNESSminimum	*120.0 ± 1.0 VAC, 60 Hz


MEMO
*

.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
;

SECTION 4 DIAGRAMS

4-1. CIRCUIT BOARDS LOCATION



4-2. PRINTED WIRING BOARD AND SCHAMATIC DIAGRAMS

Note:

 All capacitors are in μF unless otherwise noted. pF: μμF 50WV or less are not indicated except for electrolytics and tantalums.

• All resistors are in ohms. $k\Omega = 1000 \Omega$, $M\Omega = 1000 k\Omega$

 Indication of resistance, which dose not have one for rating electrical power, is as follows.

Pitch: 5mm Rating electrical power: 1/4W

• - : nonflammable resistor.

• fusible resistor.

△ : internal component.

• : panel designation and adjustment for repair.

 All variable and adjustable resistors have characteristic curve B, unless otherwise noted.

• علم : earth-chassis.

The components identified by

in this basic schematic diagram
have been carefully factory-selected for each set in order to
satisfy regulations regarding X-ray radiation.

Should replacement be required, replace only with the value originally used.

When replacing components identified by

 ☐, make the necessary adjustments indicated. If results do not meet the specified value, change the component identified by
 ☐ and repeat the adjustment until the specified value is achieved.

(Refer to R808, R809, R983 and R988 adjustment on Page 29 - 33)

 When replacing the part in below table, be sure to perform the related adjustment.

Part replaced ()	Adjustment (☑)
HVBlock Q915, D804, D806, D809, D909, D912, C818, R809, R855, R856, R857, R858, R954, R955, R983, R984, R988, R991, R995, R996, R998, T801(FBT), T803 E BOARD	HV HOLD-DOWN (R809, R988)
HV Block, Q909, D902, D920, D925, C918, C930, C980, R808, R851, R929, R936, R939, R942, R944, R945, R946, R947, R950, R960, R965, R967, R971, R975, R976, R982, R983, R985, R998E BOARD	HV Reagurator (R808, R983)

RESISTOR : RN METAL FILM · RC SOLID NONFLAMMABLE CARBON · FPRD : FUSE NONFLAMMABLE FUSIBLE NONFLAMMABLE WIREWOUND : RW NONFLAMMABLE METAL OXIDE : RS : RB NONFLAMMABLE CEMENT : 36 ADJUSTMENT RESISTOR : LF-8L MICRO INDUCTOR COIL CAPACITOR : TA TANTALLIM : PS STYROL : PP POLYPROPYLENE : PT MYLAR METALIZED POLYESTER : MPS : MPP METALIZED POLYPROPYLENE

> : ALB BIPOLAR : ALT HIGH TEMPERATURE

: ALR HIGH RIPPLE

 As to the voltage volue shown by the semiconductors on the Schematic Diagram, see the another list.

• Readings are taken with a color-bar signal input.

• Readings are taken with a 10M Ω digital multimeter.

• Voltages are dc with respect to ground unless otherwise noted.

 Voltage variations may be noted due to normal production tolerances.

• All voltages are in V.

Reference information

*: Measurement impossibillity.

· Circled numbers are waveform references.

• : B + bus.

• === :8 - bus.

: signal path.(RF)


Note: The symbol- display is on the component side.

The components identified by shading and mark Δ are critical for safety. Replace only with part number specified.

The symbol - indicate fast operating fuse.
Replace only with fuse of same rating as maked.


Note: Les composants identifiés per un tramé et une marque ≜ sont critiques pour la sécurité. Ne les remplacer que par une pléce portant le numéro spécifié.

Le symbole ——— indique une fusible a action rapide. Doit etre remplacee par une fusible de meme yaleur, comme maque.







- HA BOARD -




Schematic diagrams







- 39 -



- 41 -








- 47 -




- U BOARD -












С D

8.6	n-0	400	A- 14 6	DIZ
M	BO	AKIJ	* MA	NKK


	KP-41T25(US/CND)	KP-46S17/53S17(CND)	KP-46S25/53S25		KP-41T25(US/CND)	KP-46S17/53S17(CND)	KP-46S25/53S25		KP-41T25(US/CND)	KP-46S17/53S17(CND)	KP-46S25/53S25
350	10	*	-	Q312	2SD601A	-	-	R369	3.3K		
2354	22P		-	Q314	2SD601A	-	-	R371	1.0K	•	-
2355	22	-	-	Q315	2SD601A	· · · · · · · · · · · · · · · · · · ·	-	R372	1.2K	-	-
357	47 25V	-		Q316	2SD601A	-	-	R373	270	-	-
2358	15P	-	*	Q317	2SB709A	-		R374	33K	-	-
2359	220P	-	-	Q318	2SD601A	-	-	R375	12K	-	•
2360	10		-	Q319	2SD601A	-	-	R376	68K	-	
2361	10		-	Q320	2SD601A	-		R377	560		
362	22P	-	-	Q321	2SD601A	-	-	R378	2.7K		
363	0.001	-		R348	1.0K	-	-	R379	27K		
2364	10	•		R352	2.2K	-	_	R380	100K		-
2365	22P	•	-	R353	6.8K	-	-	R381	8.2K	-	•
N314	6P		-	R356	180		-	R382	33K		•
0320	MA110	-	-	R357	180	-	-	R383	560	-	•
0321	MA110	-	-	R359	330		-	R384	1.5K		-
0322	MA110	-	-	R362	270		-	R385	33K		•
0323	MA110	-	-	R363	1.0K		-	R386	1.0M	-	-
0324	MA110	-	-	R364	100		-	R387	1.0K	1	•
0325	MA110	-	•	R366	1.5K		-	R388	100	-	
C002	CXP85332A-046S	CXP85340A-06S	CXP85332A-046S	R367	2.2K	-	-	R389	220	-	
2310	2SD601A	•		R368	100	- 1	-	R393	1K		


- 57 -



KP-46S17/53S17(CND)	KP-46S25/53S25		KP-41T25(US/CND)	KP-46S17/53S17(CND)	KP-46S25/53S25
	-	R369	3.3K	-	-
-		R371	1.0K		-
-	-	R372	1.2K		-
-	-	R373	270		-
-		R374	33K	-	-
-	-	R375	12K	-	-
-	-	R376	68K	- 1	-
-		R377	560		-
-	-	R378	2.7K	- 1	-
- 1		R379	27K	- 1	-
- 1	-	R380	100K		-
- 1		R381	8.2K	- 1	-
1		R382	33K	-	
- 1	-	R383	560	-	-
- 1		R384	1.5K	-	-
	-	R385	33K	-	-
-	-	R386	1.0M	-	-
	-			1.	
				 	-
 				1 - 1	-
 				 	-
			- R369 - R371 - R372 - R372 - R373 - R374 - R376 - R376 - R376 - R377 - R377 - R378 - R379 - R380 - R380 - R380 - R382 - R382 - R383 - R384 - R386 - R387 - R388	- R369 3.3K - R371 1.0K R371 1.0K - R372 1.2K - R373 270 - R374 33K - R374 33K - R375 12K - R376 68K - R377 580 - R377 580 - R378 2.7K - R378 2.7K - R378 2.7K - R380 100K - R381 8.2K - R382 33K - R382 33K - R384 1.5K - R386 1.0M - R386 1.0M - R387 1.0K - R388 100	- H369 3.3K - H371 1.0K - H372 1.0K - H372 1.2K - H372 1.2K - H373 270 - H373 270 - H374 33K - H375 12K - H376 68K - H377 560 - H377 560 - H378 2.7K - H380 100K - H380 100C -









Note ·


- · Pattern from the side which enables seeing.
- Pattern of the rear side.





les seeing.



- 64 -









NOTE:

The circuit indicated as left contains high voltage of over 600 Vp-p. Care must be paid to prevent an electric shock in inspection or repairing.


- 69 -




ige of over ic shock in





10 6 E CN610 B






Schematic diagrams












- ZB BOARD -





- ZG BOARD -




- ZR BOARD -








- 82 -




CG [GOUT]

- CG BOARD -




- CB BOARD -




[ROUT]

DARD -








CB [BOUT]

- CB BOARD -




4-3. SEMICONDUCTORS




MSM51C262-ZS




CXA1477AS CXA1855S




CXP85112B-SX377 CXP85332A-SX377



HD14053BFP



LM7912CT NJM7905FA MC7905CT



16 pin SOP

M5218AP ST24C01CB1 ST24C04CB1 UPC358C



MB3512PFQ




MB40176PF-G-BND-EF






PA0053B

MB86144BPF-G-BND




PQ05RF1 PQ09RA1





MN1280-S

MCT7812CT



MN1382S




STV9379


TC7SU04F

5 pm CHIP

STK392-010



NJM7805FA NJM7812FA NJM78M09FA TA7805S



TA7812S

Z8622812PSC




9 pm ZIP

TDA6101Q






TDA8424




UPC339C




UPC574J



MARKING SIDE VIEW





DTC124ES 2SC2458-YGR




CATHODE

DTC323TS 2SA1175-HFE 2SC2785-HFE



IRFI640LF



2SA1013-R-TPE6 2SA1208-S




2\$A1162-G 2SC1623-L5L6 2SD601A-Q



2SA1221-L 2SB733-34 2SD774-34




2SA1492M-OPY



2SA1837 2SC4793 2SD2348(LBSONY-2)




2SB649A-C 2SC2688-LK



2SC2878-AB



2SC4632LS-CB7 2SD1877-CA



2SC4834M



D10SBS4-F D4SBS4-F LN4SB60-F



ERC91-02TP11 RD10ESB2 RD11ESB2 RD13ESB2 RD15ESB2 RD18ESB2 RD2.0ESB2 RD2.2ESB2 RD22ESB3 RD24ESB RD3.3ESB2 RD3.9ESB2 RD33ESB1 RD39ESB2 RD5.1ESB1 RD5.1ESB2 RD5.6ESB1 RD5.6ESB2 RD8.2ESB2 RD9.1E\$L 11ES2

1SS119-25

D1N20R

ERA85-009



D1NL20 D1NL40-TR2 D2L40-TA EL1Z **ERD28-08S** GP08D RGP02-20EL-6394 **1SS83**



D2S4MF



D8LC40-F



DAN202K




DAP202K



EGP-20G CATHODE ANODE

ERC06-15S ERC91-02 RU-1C CATHODE



HVU359TRF MA110 1T363



RD13M-B3 RD3.3M-B1 RD3.9M-B1 RD4.7M-B2 RD5.1M-B2 RD5.6M-B2



SLR-325VCT31













TDA8424


















IRFI640LF

















2SB649A-C 2SC2688-LK LETTER SIDE





2SC4632LS-CB7

2SD1877-CA












D1N20R ERA85-009 ERC91-02TP11 RD10ESB2 RD11ESB2 RD13ESB2 RD15ESB2 RD18ESB2 RD2.0ESB2 RD2.2ESB2 RD22ESB3 RD24ESB RD3.3ESB2 RD3.9ESB2 RD33ESB1 RD39ESB2 RD5.1ESB1 RD5.1ESB2 RD5.6ESB1 RD5.6ESB2 RD8.2ESB2 RD9.1ESL 11ES2 188119-25



D1NL20 D1NL40-TR2 D2L40-TA EL1Z ERD28-08S GP08D RGP02-20EL-6394 **1SS83**
















EGP-20G









HVU359TRF









SECTION 5 EXPLODED VIEWS

NOTE:

 Items with no part number and no description are not stocked because they are seldom required for routine service


5-1. SCREEN AND CONTROL BLOCK

↑ 7-685-648-79
 △ 7-685-661-79
 ↑ +BVTP 4X12
 ↑ 7-685-663-79
 ↑ +BVTP 4X16

- The construction parts of an assembled part are indicated with a collation number in the remark column.
- Items marked " * " are not stocked since they are seldom required for routine service Some delay should be anticipated when ordering these items

The componants identified by shading and mark A are critical for safety Replace only with part number specified


Les composants identifies par une trame et une marque ⚠ sont critiques pour la securite N≡ les remplacer que par une piece portant le numero specifie



REF NO	PART NO	DESCRIPTION	REMARK	REF NO	PART NO	DESCRIPTION REMARK
1 2 3 4 5	X-4032-545-1 4-048-000-01 4-047-999-01 4-047-998-01 4-048-001-01	PANEL ASSY, CONTROL DOOR, CONTROL FILTER, REMOTE GUIDE, LIGHT, LED BUTTON, MULTI			4-036-091-31 * 4-037-351-01 * 4-037-351-01 4-047-861-01 X-4032-607-1	HOLDER (L), SCREEN HOLDER, MIRROR HOLDER, MIRROR MIRROR (41), REFLECTION COVER, MIRROR
6 7 8 9 10	1-504-785-11 4-041-164-11	HA BOARD, COMPLETE SPEAKER (10CM) SCREW (4X20), TAPPING BEZNET ASSY PLATE (L), DIFFUSION		18	* 4-047-837-01 * 4-049-096-01 * 4-049-098-01	PLATE (41), REAR HOLDER (RIGHT), SIDE (KP-46S17/46S25/53S17/53S25) CUSHION (KP-46S17/46S25/53S17/53S25)
11 12	4-047-943-11 4-036-092-01	PLATE (F), DIFFUSION HOLDER (S), SCREEN		20	* 4-049-097-01	HOLDER (LEFT), SIDE (KP-46S17/46S25/53S17/53S25)

5-2. MIRROR COVER AND POWER BLOCK

↑ 7-685-648-79
 ↑ 7-685-661-79
 ↑ 7-685-663-79
 ↑ 7-685-666-79
 ↑ +BVTP 4X12
 ↑ +BVTP 4X16
 ↑ +BVTP 4X30




REF N	O. PART NO	DESCRIPTION	REMARK	REF NO	PART NO	DESCRIPTION	REMARK
51			52		4-048-159-01	HOLDER (L), SCREEN (
52	4-048-000-01	DOOR, CONTROL	1		4-048-159-11	HOLDER (L), SCREEN (
53	4-047-999-01	FILTER, REMOTE			4-048-159-21	HOLDER (L), SCREEN (
54	4-047-998-01	GUIDE, LIGHT, LED		,	[*] 4-048-159-31	HOLDER (L), SCREEN ((KP-53S17/53S25)
55	4-048-001-01	BUTTON, MULTI					
				65	4-036-092-01	HOLDER, MIRROR	
56	* A-1372-099-A	HA BOARD, COMPLETE		66	4-048-181-01	MIRROR (46), REFLECT	TION (KP-46S17/46S25)
57	4-041-164-11	SCREW (4X20), TAPPING			4-048-181-01	MIRROR (53), REFLECT	ΓΙΟΝ (KP-53S17/53S25)
58	1-504-785-11	SPEAKER (10CM)		67 3	* X-4032-619-3	COVER ASSY, MIRROR	R (KP-46S17/46S25)
59	X-4032-617-2	BEZNET ASSY (46S) (KP-	46\$17/46\$25)	3	* X-4032-620-3	COVER ASSY, MIRROR	R (KP-53S17/53S25)
		BEZNET ASSY (53S) (KP-					,
			,	69	* 4-048-160-01	PLATE, SHIELD (KP-46	S17/46S25)
60	4-036-466-11	PLATE (L), DIFFUSION (I	(P-53S17/53S25)		* 4-048-161-01	PLATE, SHIELD (KP-53	
00	4-037-360-11	PLATE (L), DIFFUSION (I			* 4-048-168-01	PLATE, REAR (KP-53S1	
61	4-036-469-01	PLATE (F), DIFFUSION (* 4-048-169-01	PLATE, REAR (KP-46SI	
01	4-048-205-11	PLATE (F), DIFFUSION (* 4-049-098-01	CUSHION	77 10523)
62	* 4-048-152-01	HOLDER (S), SCREEN (K		/1	T-077-070-01	Cosmon	
02	-1 0-10-134-01	HOLDER (b), SCILLIA (R	1-1001//100223)	72	* 4-049-096-01	HOLDER (RIGHT), SIDE	F
	* 4 049 152 11	HOLDER (S), SCREEN (K	D 52017/52025\		* 4-049-097-01	HOLDER (LEFT), SIDE	<u>.</u>
	4-040-132-11	HOLDER (3), SCREEN (A	r-3381 <i>1133</i> 823) i	13	4-047-097-01	HOLDER (LEFT), SIDE	

The componants identified by shading and mark A are critical for safety Replace only with part number specified

Les composants identifies par une trame et une marque \(\Lambda \) sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie

5-3. DC AND E BLOCK

7-685-648-79 +BVTP 3X12
 7-685-663-79 +BVTP 4X16




REF NO	PART NO	DESCRIPTION	REMARK	REF NO	PART NO	DESCRIPTION	REMARK
101	A 1-223-925-21	RESISTOR ASSY (HIGH-VOLTAG	E)	117	* A-1373-511-A	U BOARD, COMPLETE	(KP-46S17/53S17)
		G BOARD, COMPLETE			* A-1373-562-A	U BOARD, COMPLETE	
103	∆ 1-769-837-11	CORD, POWER(WITH NOISE FILT	TER)				(KP-41T25/46S25/53S25)
			(7.0A/125V)			P BOARD, COMPLETE	
	* 3-659-682-11	HOLDER, PC BOARD		119	4-047-951-01	TERMINAL BOARD (A)	
105	* 4-382-848-02	HOLDER, PCB		120	4-041-165-01	SCREW (3X12), TAPPIN	IG, +BV
				101	4 047 050 11	TERMINIAL DOADD (D)	
	* 3-703-141-11	HOLDER, PCB		121		TERMINAL BOARD (B)	
		E BOARD, COMPLETE		122		JACK, PIN (F) (KP-46S1	1155817)
108	∆ 1-453-189-11	TRANSFORMER ASSY, FLYBACI		123	1-556-945-21	CABLE, P-P	D
		The state of the s	NX2631//A4S)	124	* 4-047-950-01	BRACKET, D PC BOAR	
	≜ 1-900-211-34			125	* A-1346-296-A	D BOARD, COMPLETE	
110	* 3-687-542-41	SPACER, PC BOARD SPACE			* 4 0 47 0 40 01	DD A CWET MAIN DC D	OADD
				126		BRACKET, MAIN PC B	
111	4-041-164-11			127	A 8-398-047-11	TUNER, ET (BTF-LA40	
450004400000000000000000000000000000000	△ 8-598-955-00						(KP-41T25/46S25/53S25)
113	4-373-137-01			128	1-557-056-41	CABLE, P-P	T.
114		A BOARD, COMPLETE (KP-46S17		129		TR2 BOARD, COMPLE	
	* A-1297-813-A	A BOARD, COMPLETE (KP-46S25	5/53S25) ,	130	4-047-937-01		S17/46S25/53S17/53S25)
	* 4 1007 014 4	A DOADD GOLDLETE (VD 41724	-\			(Kr-40	1317/40323/33317/33323)
000404040000		A BOARD, COMPLETE (KP-41T25))	131	4-049-665-01	LAVEL, IN/OUT	
000000000000000000000000000000000000000		TUNER (BTF-WA402)	5)	131	1-417-178-11	SELECTOR, ANTENA (ΔS-2)
116		M BOARD, COMPLETE (KP-41T2:		132	1-41/-1/0-11		S17/46S25/53S17/53S25)
		M BOARD, COMPLETE (KP-46S1		1		(KF-40	1011170023133011133023)
	* A-1306-330-A	M BOARD, COMPLETE (KP-46S2:	3133323)				

The componants identified by shading and mark \triangle are critical for safety
Replace only with part number specified

Les composants identifies par une trame et une marque A sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie.

5-4. SHIELD AND MIRROR HOLDER BLOCK

■ 7-685-663-79 +BVTP 4X16



REF N	O PART NO	DESCRIPTION	REMARK	REF NO	PART NO	DESCRIPTION	REMARK
151 152	4-034-057-01 4-034-057-11	LENS (LINNIT) LENS (LINNIT)		161 *	A-1390-491-A	ZB BOARD, COMPLETE	
153	A 8-736-077-15	PITURE TUBE 07MAC2 (R)	25/46\$17/46\$25)			NECK ASSY (KP-41T25) NECK ASSY (KP-41T25)	
200000000000000000000000000000000000000	₫ 8-736-077-25	PICTURE TUBE 07MAC3(R) (K				CR BOARD, COMPLETE	
154	▲ 8-736-075-05	PICTURE TUBE 07MAC2(G)				CG BOARD, COMPLETE CB BOARD, COMPLETE	
155	▲ 8-736-076-15	PICTURE TUBE 07MAC2 (B) (KP-417	25/46817/46825)	167		SCREW (4X20), TAPPING	
156	A 8-736-076-25 4-048-142-01	PICTURE TUBE 07MAC3(B) (k SPRING, TENSION	P-53S17/53S25)			CABINET ASSY, BOTTOM CABINET ASSY, BOTTOM	
157	Д 8-451-463-11 Д 8-451-463-21	DEFLECTION YOKE (Y829PA) DEFLECTION YOKE (Y829PA)				CABINET ASSY, BOTTOM	171,170 I (KP-53S17/53S25)
159		ZR BOARD, COMPLETE (KP-4	1T25)	169	4-047-987-01	FOOT (KP-41T25)	171,170
1.60			25/53S17/53S25)	170	4-048-175-01	FOOT, PLASTIC	1146005152017152005
160		ZG BOARD, COMPLETE (KP-4 ZG BOARD, COMPLETE (KP-46\$17/46\$	(25/53S17/53S25)	171	4-040-755-01	CASTER (DIA 30)	7/46S25/53S17/53S25) 7/46S25/53S17/53S25)
			!				

SECTION 6 ELECTRICAL PARTS LIST



NOTE:

Les composants identifies par une trame et une marque & sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie

The componants identified by shading and mark A are critical for safety Replace only with part number specified

- The components identified by
 in this manual have been carefully factory-selected for each set in order to satisfy regulations regarding X-ray radiation. Should replacement be required, replace only with the value originally used.
- Items marked " * " are not stocked since they are seldom required for routine service. Some delay should be anticipated when ordering these items
- All variable and adjustable resistors have characteristic curve B, unless otherwise noted.

When indicating parts by reference number, please include the board name.

- CAPACITORS PF : μμ F
- There are some cases the reference number on one board overlaps on the other board. Therefore, when ordering parts by the reference number, please include the board name.

RESISTORS

- · All resistors are in ohms
- F : nonflammable

		• F : no	onflammab	ele						
REF NO	PART NO	DESCRIPTION			REMARK	REF NO	PART NO.	DESCRIPTION		REMARK
	* A-1195-062-A	P BOARD, CON				C3252	1-163-103-00	CERAMIC CHIP 27PF	5%	50V
						C3253 C3254 C3255	1-163-141-00 1-163-101-00	CERAMIC CHIP 22PF CERAMIC CHIP 0.001MF CERAMIC CHIP 22PF	5% 5% 5%	50V 50V 50V
		<capacitor></capacitor>				C3256 C3257		CERAMIC CHIP 0 01MF CERAMIC CHIP 100PF	10% 5%	50V 50V
C3201 C3203 C3204 C3205 C3206	1-126-967-11 1-164-004-11 1-126-964-11 1-126-964-11 1-126-964-11	CERAMIC CHIP ELECT ELECT	47MF 0 1MF 10MF 10MF 10MF	20% 10% 20% 20% 20%	16V 25V 50V 50V 50V	C3258 C3259 C3260 C3261 C3263	1-163-111-00 1-163-119-00 1-163-141-00	CERAMIC CHIP 68PF CERAMIC CHIP 56PF CERAMIC CHIP 120PF CERAMIC CHIP 0 001MF CERAMIC CHIP 0 001MF	5% 5% 5% 5%	50V 50V 50V 50V 50V
C3207 C3208 C3209 C3210 C3212		ELECT		5% 5% 20% 20% 20%	50V 50V 50V 16V 50V	C3264 C3265 C3266 C3267 C3268	1-165-319-11 1-163-141-00 1-163-141-00 1-163-141-00	CERAMIC CHIP 0.1MF CERAMIC CHIP 0.001MF CERAMIC CHIP 0.001MF CERAMIC CHIP 0.001MF CERAMIC CHIP 0.001MF	5% 5% 5% 5%	50V 50V 50V 50V 50V
C3213 C3214 C3215 C3216 C3217	1-164-346-11 1-164-346-11 1-164-005-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	1MF 1MF 0 47MF		16V 16V 16V 25V 16V	C3269 C3270 C3271 C3272 C3273	1-165-319-11 1-165-319-11 1-165-319-11	CERAMIC CHIP 0 001MF CERAMIC CHIP 0 1MF CERAMIC CHIP 0.1MF CERAMIC CHIP 0 1MF CERAMIC CHIP 47PF	5% 5%	50V 50V 50V 50V 50V
C3218 C3219 C3220 C3221 C3222	1-126-935-11 1-164-346-11 1-164-346-11	CERAMIC CHIP ELECT CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	470MF 1MF 1MF	.20%	16V 16V 16V 16V 25V	C3274 C3275 C3276 C3277 C3278	1-163-101-00 1-163-111-00 1-163-101-00	CERAMIC CHIP 22PF CERAMIC CHIP 22PF CERAMIC CHIP 56PF CERAMIC CHIP 22PF CERAMIC CHIP 22PF	5% 5% 5% 5% 5%	50V 50V 50V 50V 50V
C3223 C3224 C3225 C3226 C3227	1-164-222-11 1-164-222-11 1-164-005-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	0 22MF 0 22MF 0 47MF		25V 25V 25V 25V 16V	C3279 C3280 C3282	1-126-964-11	CERAMIC CHIP 0 001MF ELECT 10MF CERAMIC CHIP 1MF	5% 20%	50V 50V 16V
C3228		CERAMIC CHIP		5%	50V			<connector></connector>		
C3229 C3230 C3231 C3232	1-163-141-00 1-163-125-00	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	0.001MF 220PF	5% 5% 5% 5%	50V 50V 50V 50V	CN150	1-573-297-21	CONNECTOR, BOARD TO	BOAR	D 18P
C3233	1-164-232-11	CERAMIC CHIP	001MF	10%	50V	8		<diode></diode>		
C3234 C3235 C3236 C3237	1-164-232-11 1-164-232-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	0 01MF 0 01MF	10% 10% 10% 10%	50V 50V 50V 50V	D3202 D3203 D3208 D3209	8-719-404-46 8-719-110-17	DIODE HVU359TRF DIODE MA110 DIODE RD10ESB2 DIODE RD10ESB2		
C3238 C3239 C3240	1-163-141-00 1-163-101-00	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	0 001MF 22PF	5% 5% 5% 5%	50V 50V 50V 50V	IC3200	8-759-288-13	<ic></ic>		
C3241 C3242		CERAMIC CHIP		10%	50V	IC3201 IC3202	8-759-093-29	IC MB86144BPF-G-BND IC MB40176PF-G-BND-EF		
C3243 C3244	1-163-113-00	CERAMIC CHIP	68PF	5% 5%	50V 50V	IC3203 IC3204	8-759-093-28	IC MB40176PF-G-BND-EF IC MB3512PFQ		
C3245 C3246 C3247	1-164-232-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	0 01MF	10% 10%	50V 50V 50V	IC3205	8-759-243-19	IC TC7SU04F		
C3248 C3249		CERAMIC CHIP CERAMIC CHIP		5% 5%	50V 50V	0 8 1 2 3 4 4 1		<coil></coil>		
C3250 C3251		CERAMIC CHIP CERAMIC CHIP		5% 10%	50V 50V	L3201 L3202		INDUCTOR 10UH INDUCTOR 180UH		





							1			
REF NO.	PART NO	DESCRIPTION	R	REMARK	REF NO	PART NO.	DESCRIPTION		P	REMARK
L3203 L3204 L3205	1-410-476-11	INDUCTOR 180UH INDUCTOR 33UH INDUCTOR 10UH			R3250 R3251 R3252	1-216-049-91	METAL GLAZE METAL GLAZE METAL GLAZE	1K	5% 5% 5%	1/10W 1/10W 1/10W
L3206 L3207 L3208 L3209	1-410-387-11 1-410-387-11	INDUCTOR 33UH INDUCTOR 33UH INDUCTOR 33UH INDUCTOR 33UH			R3253 R3254 R3255 R3256 R3259	1-216-043-91 1-216-041-00 1-216-043-91	METAL GLAZE METAL GLAZE METAL GLAZE METAL GLAZE METAL GLAZE	560 470 560	5% 5% 5% 5% 5%	1/10W 1/10W 1/10W 1/10W 1/10W
		<transistor></transistor>			R3260 R3263		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W
Q3201 Q3202 Q3203 Q3204	8-729-422-27 8-729-216-22 8-729-216-22	TRANSISTOR 2SA1162-G TRANSISTOR 2SD601A-Q TRANSISTOR 2SA1162-G TRANSISTOR 2SA1162-G			R3264 R3265 R3266	1-216-025-91 1-216-049-91 1-216-057-00	METAL GLAZE METAL GLAZE METAL GLAZE	100 1K 2 2K	5% 5% 5%	1/10W 1/10W 1/10W
Q3206		TRANSISTOR 2SD601A-Q			R3267 R3268	1-216-053-00	METAL GLAZE METAL GLAZE	1 5K	5% 5%	1/10W 1/10W
Q3207 Q3208 Q3209 Q3210	8-729-422-27 8-729-216-22	TRANSISTOR 2SA1162-G TRANSISTOR 2SD601A-Q TRANSISTOR 2SA1162-G TRANSISTOR 2SA1162-G			R3269 R3270 R3271	1-216-657-11 1-216-655-11	METAL CHIP METAL CHIP	1 8K 1 5K	5% 0 50% 0.50%	1/10W 1/10W 1/10W
		PEGGEOR			R3273 R3274	1-216-049-91	METAL GLAZE	1K	5% 5%	1/10W 1/10W
R3201 R3202	1-216-073-00	<resistor> METAL GLAZE 100K METAL GLAZE 10K</resistor>	5% 5%	1/10W 1/10W	R3275 R3276 R3277	1-216-049-91	METAL GLAZE METAL GLAZE METAL GLAZE	1K	5% 5% 5%	1/10W 1/10W 1/10W
R3203 R3204	1-216-025-91	METAL GLAZE 100 METAL GLAZE 100	5% 5%	1/10W 1/10W			<crystal></crystal>			
R3205 R3207		METAL GLAZE 1M CONDUCTOR, CHIP	5%	1/10W	X3201 X3202		VIBRATOR, CRYVIBRATOR, CRY			
R3208 R3209 R3210 R3211	1-216-097-91 1-216-079-00 1-216-089-91	METAL GLAZE 100K METAL GLAZE 18K METAL GLAZE 47K METAL GLAZE 10K	5% 5% 5% 5%	1/10W 1/10W 1/10W 1/10W			*****		******	*****
R3212		METAL GLAZE 10K	5%	1/10W		* A-1297-605-A	A BOARD, CO		KP-46S1	7/53S17)
R3213 R3214 R3215 R3216	1-216-121-91 1-216-057-00	METAL GLAZE 12K METAL GLAZE 1M METAL GLAZE 2 2K METAL GLAZE 2 2K	5% 5% 5% 5%	1/10W 1/10W 1/10W 1/10W		* A-1297-813-A	**************************************	MPLETE (I	KP-46S2	5/53\$25)
R3217 R3218 R3219	1-216-049-91 1-216-049-91	METAL GLAZE 2.2K METAL GLAZE 1K METAL GLAZE 1K	5% 5% 5%	1/10W 1/10W 1/10W			A BOARD, CO		ζP-41T2	5)
R3220 R3221		METAL GLAZE 1K METAL CHIP 1 5K	5% 0 50%	1/10W 1/10W		4-382-854-11	SPACER, MICA SCREW (M3X10 RUBBER, SILICO			1
R3222 R3223 R3224	1-216-025-91	METAL CHIP 1.5K METAL GLAZE 100 METAL GLAZE 1K	0 50% 5% 5%	1/10W 1/10W 1/10W		7-322-003-19	ROBBER, SILIC			S25/53S25)
R3225 R3226	1-216-025-91	METAL GLAZE 100 METAL GLAZE 33K	5% 5%	1/10W 1/10W			<capacitor></capacitor>			
R3227 R3228 R3229 R3230 R3231	1-216-045-00 1-216-073-00 1-216-073-00	METAL CHIP 680 METAL GLAZE 680 METAL GLAZE 10K METAL GLAZE 10K METAL GLAZE 10	0 50% 5% 5% 5% 5%	1/10W 1/10W 1/10W 1/10W 1/10W	C201 C202 C203 C204 C205	1-104-665-11 1-102-125-00 1-130-489-00 1-124-902-00 1-104-665-11	CERAMIC FILM ELECT	100MF 0 0047MF 0 033MF 0 47MF 100MF	20% 10% 5% 20% 20%	25V 50V 50V 50V 25V
R3232		METAL GLAZE 27K	5%	1/10W	C206 C207	1-124-902-00 1-124-903-11		0 47MF 1MF	20% 20%	50V 50V
R3233 R3234	1-216-049-91 1-216-651-11	METAL GLAZE 1K METAL CHIP 1K	5% 0 50%	1/10W 1/10W	C208 C209	1-124-768-11 1-124-903-11	ELECT	4 7MF 1MF	20% 20%	50V 50V
R3235 R3236		METAL GLAZE 560 METAL GLAZE 47K	5% 5%	1/10W 1/10W	C210	1-102-125-00		0 0047MF		50V
R3237 R3238		METAL GLAZE 560 METAL GLAZE 1K	5% 5%	1/10W 1/10W	C211 C212 C220	1-130-489-00 1-124-768-11 1-126-964-11	ELECT	0.033MF 4 7MF 10MF	5% 20% 20%	50V 50V 50V
R3239 R3241	1-216-043-91	METAL GLAZE 1K METAL GLAZE 560 METAL GLAZE 2 2K	5% 5%	1/10W 1/10W 1/10W	C220 C221 C222	1-126-964-11 1-126-964-11	ELECT	10MF 10MF	20% 20% 20%	50V 50V
R3242		METAL GLAZE 1K	5%	1/10W	C223	1-126-964-11		10MF	20%	50V
R3243 R3244	1-216-025-91	METAL GLAZE 100 METAL GLAZE 100	5% 5%	1/10W 1/10W	C226 C232	1-104-665-11 1-104-664-11	ELECT ELECT	100MF 47MF	20% 20%	25V 25V
R3245 R3246	1-216-069-00	METAL GLAZE 100 METAL GLAZE 6 8K	5% 5%	1/10W 1/10W	C233 C234	1-104-664-11 1-104-664-11		47MF 47MF	20% 20%	25V 25V
R3247 R3248 R3249	1-216-295-91	METAL GLAZE 3 9K CONDUCTOR, CHIP METAL GLAZE 2 2K	5% 5%	1/10W 1/10W	C236 C238 C239	1-124-902-00 1-104-665-11 1-126-943-11	ELECT	0 47MF 100MF 2200MF	20% 20% 20%	50V 25V 25V
					I					



REF. NO.	PART NO.	DESCRIPTION			REMARK	REF NO	PART NO	DESCRIPTION	REMARK
C240 C241	1-126-943-11 1-137-399-11	FILM	2200MF 0.1MF	20% 5%	25V 50V	D232 D235 D262	8-719-991-33 8-719-991-33	DIODE 1S\$133T-77 DIODE 1S\$133T-77 DIODE 1S\$133T-77	
C242 C243	1-137-399-11 1-137-399-11	FILM	0 1MF 0.1MF	5% 5%	50V 50V	D263 D264		DIODE 1SS133T-77 DIODE 1SS133T-77	
C244 C245	1-104-665-11 1-137-399-11	FILM	100MF 0.1MF	20% 5%	25V 50V	D501	8-719-991-33	DIODE 1SS133T-77	
C262	1-104-664-11	ELECT	47MF	20%	25V	D502 D504		DIODE MTZJ-T-77-3.9 DIODE 1SS133T-77	
C263 C264	1-104-665-11 1-104-665-11		100MF 100MF	20% 20%	25V 25V	D505 D506		DIODE 1SS133T-77 DIODE RU-1C	
C265 C266	1-104-665-11 1-104-665-11		100MF 100MF	20% 20%	25V 25V	D507	8-719-018-82	DIODE RGP02-20EL-6	394
C267	1-104-664-11	ELECT	47MF	20%	25V	D509 D510	8-719-900-95	DIODE V09G DIODE V09G	
C501 C502	1-124-902-00 1-104-664-11		0.47MF 47MF	20% 20%	50V 25V	D511 D1001		DIODE 1SS133T-77 DIODE MTZJ-33A	
C503 C504	1-137-370-11 1-102-973-00		0 01MF 100PF	5% 5%	50V 50V	D1002	8-719-110-88	DIODE RD39ESB2 (KI	P-41T25/46S25/53S25)
C505	1-137-372-11		0.022MF	5%	50V				
C506 C507	1-123-024-21 1-107-368-11	FILM	33MF 0 047MF	10%	160V 200V			<ic></ic>	
C508 C509	1-107-638-11 1-107-368-11	FILM	33MF 0 047MF	20% 10%	160V 200V	IC201 IC202	8-759-135-80 8-759-090-21	IC TDA8424	
C510	1-102-030-00		330PF	10%	500V	IC230 IC262	8-759-190-89 8-759-054-12	IC PQ09RA1	
C511 C512	1-137-414-11 1-162-115-00	CERAMIC	0 0047MF 330PF	10%	100V 2KV	IC263	8-759-504-46		
C513 C514	1-136-598-11 1-136-613-11	FILM	3MF 0 0068MF		200V 2KV	IC264 IC1001		IC MCT7812CT IC HD14053BFP (KP-4	1T25/46S25/53S25)
C515	1-162-114-00		0 0047MF		2KV			COTT	
C516 C517	1-107-719-11 1-126-971-11	ELECT	220MF 470MF	20% 20%	50V 50V	1 501	1 411 100 11	<coil></coil>	
C518 C519	1-126-971-11 1-124-903-11	ELECT	470MF 1MF	20% 20%	50V 50V	L501 L503	1-406-832-11	COIL, CHOKE 15mH COIL, HORIZONTAL I	LINEARITY(HLC)
C1001	1-126-963-11		4 7MF	20%	50V	L1001 L1002	1-408-408-00	INDUCTOR 8.2UH INDUCTOR 8.2UH	
C1002	1-126-964-11				50V 46S25/53S25)	L1003		INDUCTOR 100UH INDUCTOR 8 2UH (KI	D 41T25/46025/52025\
C1003	1-126-965-11				50V 46S25/53S25)	L1004 L1006 L1007	1-408-408-00	INDUCTOR 8 2UH (KI INDUCTOR 8 2UH (KI	P-41T25/46S25/53S25)
C1004 C1005 C1006	1-126-952-11 1-104-665-11 1-101-004-00	ELECT	1000MF 100MF 0.01MF	20% 20%	16V 25V 50V	LIOU	1-400-400-00	NADOCTOR 8 2011 (R	1-41123/40323/33323/
C1007	1-126-935-11		470MF	20%	16V			<transistor></transistor>	
C1007 C1008 C1009	1-101-004-00 1-126-964-11	CERAMIC	0 01MF 10MF	20%	50V 50V	Q220 Q221		TRANSISTOR DTC32: TRANSISTOR 2SA117	
C1010	1-126-964-11				46S25/53S25) 50V	Q222 Q223	8-729-927-14	TRANSISTOR DTC32: TRANSISTOR 2SA117	3TS
C1011	1-102-121-00		0 0022MF	10%		Q230		TRANSISTOR 2SC278	
C1012	1-102-121-00	CERAMIC	0 0022MF		50V	Q231 Q232		TRANSISTOR 2SC278 TRANSISTOR 2SC278	
						Q234 Q235	8-729-119-78	TRANSISTOR 2SC278 TRANSISTOR 2SA117	5-HFE
		<connector< td=""><td>></td><td></td><td></td><td>Q236</td><td></td><td>TRANSISTOR 2SC278</td><td></td></connector<>	>			Q236		TRANSISTOR 2SC278	
CN221 CN222		CONNECTOR, CONNECTOR,				Q501 Q502	8-729-119-76	TRANSISTOR 2SA117 TRANSISTOR 2SA117	75-HFE
CN223 CN224	* 1-564-507-11	PLUG, CONNE	CTOR 4P			Q503 Q504	8-729-119-78	TRANSISTOR 2SC278 TRANSISTOR 2SC278	5-HFE
CN225		PLUG, CONNE				Q505		TRANSISTOR 2SC268	
CN511 CN527	* 1-573-963-11	PIN, CONNECT PIN, CONNECT	OR (PC BC			Q506 Q507	8-729-304-92	TRANSISTOR 2SA101 TRANSISTOR 2SB649	PA-C
CN528 CN541	* 1-580-689-11	TAB (CONTAC PIN, CONNECT	OR (PC BC			Q508 Q509	8-729-010-98	TRANSISTOR 2SA101 TRANSISTOR 2SA149	92M-OPY
CN571		PIN, CONNECT)ARD)	4P	Q510		TRANSISTOR 2SD234	
CN1026	1-304-306-11	PLUG, CONNE	CIUK 3P			Q511 Q1001		TRANSISTOR 2SA117 TRANSISTOR 2SA117	
		<diode></diode>				Q1002	8-729-119-76	TRANSISTOR 2SA117	
D201 D202		DIODE RD10ES				Q1003 Q1004		TRANSISTOR 2SA117 TRANSISTOR 2SC278	75-HFE
D220 D221	8-719-991-33	DIODE 1SS133' DIODE 1SS133'	T-77						
D231	8-719-991-33	DIODE 1SS133	T-77						



Les composants identifies par une trame et une marque \(\Lambda\) sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie

The componants identified by shading and mark \triangle are critical for safety

Rep	lace only with part number
spe	cified
	DEMADE

REF. NO	PART NO	DESCRIPTION		!	REMARK	. !	REF NO.	PART NO	DESCRIPTION			REMARI	<u>.</u>
		<resistor></resistor>					R522	1-249-417-11		1K	5%	1/4W	
R201	1-249-429-11	CARBON	10K	5%	1/4W	ĺ	R523 R524	1-249-426-11 1-215-925-11	METAL OXIDE	5 6K 22K	5% 5%	1/4W 3W	F F
R203 R204	1-249-429-11 1-249-429-11		10K 10K	5% 5%	1/4W 1/4W		R525	1-216-373-11	METAL OXIDE	2.2	5%	2W	F
R205	1-249-429-11	CARBON	10K	5%	1/4W		R526	1-216-478-11	METAL OXIDE	390	5%	3W	F
R207	1-249-431-11	CARBON	15K	5%	1/4W		R528	1-216-475-11	METAL OXIDE	120	5%	3W (KP-41T	F (25)
R208	1-249-429-11		10K	5%	1/4W		R528	1-216-477-11	METAL OXIDE	270 KP-46S174	5%	` 3W	F
R209 R210	1-249-431-11 1-247-815-91	CARBON	15 K 220	5% 5%	1/4W 1/4W	į	R529	1-215-912-11	METAL OXIDE		5%	3W	F
R211 R212	1-249-429-11 1-249-441-11		10K 100K	5% 5%	1/4W 1/4W							(KP-41T	(25)
							R529	1-216-477-11	METAL OXIDE		5%	3W	F
R213 R214	1-249-441-11 1-247-815-91		100K 220	5% 5%	1/4W 1/4W		R530	1-216-475-11	METAL OXIDE	KP-46S174 120	0323/3 5%	3W	F
R215 R216	1-249-441-11 1-249-441-11		100K 100K	5% 5%	1/4W 1/4W		R530	1-216-477-11	METAL OXIDE	270	5%	(KP-41T 3W	(25) F
R217	1-247-807-31		100	5%	1/4W					KP-46S174	6S25/5	3817/538	325)
R218	1-247-807-31		100	5%	1/4W		R531		METAL OXIDE		5%	3W (KP-41T	
R219 R220	1-249-417-11 1-249-429-11		1K 10K	5% 5%	1/4W 1/4W		R531	1-216-477-11	METAL OXIDE	270 KP-46S174	5% 6S25/5	3W 3S17/53S	F (25)
R221	1-249-437-11	CARBON	47K	5%	1/4W		D 520	1 015 440 00	·				
R222	1-249-417-11	CARBON	1K	5%	1/4 W		R532 R533	1-215-442-00 1-215-443-00	METAL	7 5K 8 2K	1% 1%	1/4W 1/4W	
R223 R224	1-249-429-11 1-249-429-11		10K 10K	5% 5%	1/4W 1/4W		R534 R1001	1-215-437-00	METAL OXIDE	4 7K	1% 5%	1/4W 2W	F
R230	1-249-430-11	CARBON	12K	5%	1/4W		R1002		METAL OXIDE	22K	5%	2W	F
R231 R233	1-249-429-11 1-249-429-11		10 K 10 K	5% 5%	1/4W 1/4W						1123/4	6S25/53S	(25)
R234	1-249-441-11	CARRON	100K	5%	1/4W		R1003	1-249-411-11	CARBON	330 (KP-4	5% 1T25/4	1/4W 6S25/53S	(25)
R235	1-249-414-11	CARBON	560	5%	1/4W		R1004	1-249-434-11	CARBON	27K	5%	1/4W	
R236 R237	1-249-432-11 1-249-414-11		18K 560	5% 5%	1/4W 1/4W		R1005	1-249-436-11	CARBON	39K	1123/4 5%	6S25/53S 1/4W	(25)
R238	1-249-431-11	CARBON	15K	5%	1/4W		R1006	1-249-434-11	CARBON	27K (KP-4	1T25/4 5%	6S25/53S 1/4W	(25)
R239	1-249-430-11		12K	5%	1/4W		R1007	1-249-425-11		4 7K	5%	1/4W	
R241 R242	1-249-439-11 1-249-432-11		68K 18K	5% 5%	1/4W 1/4W		R1008	1-247-807-31		100	5%	1/4W	
R243 R244	1-247-863-91 1-247-863-91		22K 22K	5% 5%	1/4W 1/4W		R1010	1-249-411-11		KP-46S174 330	6S25/5 5%	3S17/53S 1/4W	325)
							R1011	1-249-425-11		47K	5%	1/4W	105)
R246 R247	1-247-863-91 1-249-430-11		22K 12K	5% 5%	1/4W 1/4W		R1012	1-249-425-11	CARBON	47K	5%	6S25/53S 1/4W	
R249 R250	1-247-807-31 1-249-417-11		100 1K	5% 5%	1/4W 1/4W		R1013	1-247-807-31	CARBON	(KP-4	1T25/4 5%	6S25/53S 1/4W	525)
R251	1-249-437-11		47K	5%	1/4W		RIOID	1217 007 51				6S25/53S	325)
R252	1-249-417-11		1K	5%	1/4W		R1014	1-249-436-11		39 K	5%	1/4W	
R255 R257	1-249-429-11 1-249-429-11		10K 10K	5% 5%	1/4W 1/4W		R1016 R1017	1-247-807-31 1-249-417-11		100 1K	5% 5%	1/4W 1/4W	
R258	1-249-429-11	CARBON	10 K	5%	1/4W	P	R1018	1-215-432-00	METAL	3K	1%	1/4W	
R259	1-210-337-00	METAL OXIDE	4 /	5%	1W	F	R1019	1-249-441-11	CARBON	100K	5%	1/4W	
R260 R501	1-216-357-00 1-249-421-11	METAL OXIDE CARBON	4 7 2 2K	5% 5%	1W 1/4W	F			<transforme< td=""><td>ER></td><td></td><td></td><td></td></transforme<>	ER>			
R502	1-249-429-11	CARBON	10K	5%	1/4W		T501	1 427 079 00	TRANSFORME		NITAI '	DDIVE	
R503 R504	1-249-441-11 1-249-429-11		100K 10K	5% 5%	1/4 W 1/4 W		1301	1-43/-0/8-00	TRANSPORME	t, HUKIZU	NIAL.	DKIVE	
R505	1-215-437-00	METAL	4 7K	1%	1/4 W				<tuner></tuner>				
R506	1-215-433-00 1-249-407-11	METAL	3 3K	1% 5%	1/4W 1/4W		THION	11 TM 902 9	TUNER (BTF-L)	VAOTS			
R507 R508	1-249-421-11	CARBON	150 2 2K	5%	1/4W					(KP-4	1T25/4	6825/538	325)
R509	1-249-423-11	CARBON	3 3K	5%	1/4W		TU1002 /	l 8-598-254-00	TUNER (BTF-W	A402)			
R510 R511	1-249-417-11 1-247-895-91		1K 470K	5% 5%	1/4W 1/4W								
R512	1-215-925-11	METAL OXIDE	22K	5%	3W	F	******	******	******	******	*****	******	***
R513 R514	1-215-900-11 1-249-421-11	METAL OXIDE CARBON	22K 2 2K	5% 5%	2W 1/4W	F F							
R515		METAL OXIDE		5%	3W	F							
R516	1-249-430-11	CARBON	12K	5%	1/4W	F							
R517 R518	1-249-429-11 1-249-427-11		10K 68K	5% 5%	1/4W 1/4W	F							
R519	1-249-417-11	CARBON	1K	5%	1/4W								
R520	1-249-423-11		3.3K	5%	1/4W	F							
R521	1-249-437-11	CARBON	47 K	5%	1/4W								



REF NO	PART NO	DESCRIPTION		R	EMARK	REF. NO	PART NO	DESCRIPTION			REMARK
	* A-1306-497-A	M BOARD, CO	MPLETE (F	KP-41T2:	5)	C074	1-104-661-91	ELECT	330MF	20%	16V
		M BOARD, CO	MPLETE (F ******* MPLETE (F		! ! !	C075 C302 C303 C304 C309	1-124-902-00 1-124-902-00 1-126-963-11	ELECT	0 47MF 0 47MF 4 7MF	20% 20% 20% 10%	50V 50V 50V 50V 50V
C001	1-126-935-11	<capacitor></capacitor>	470MF	20%	16V	C310 C311 C312 C313 C314	1-124-925-11 1-163-017-00 1-104-664-11	CERAMIC CHIP	2 2MF 0 0047MF 47MF	20%	50V 50V 50V 25V 50V
C002 C004 C005 C006	1-163-001-11 1-163-001-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	220PF 220PF	20% 10% 10% 10%	6 3V 50V 50V 50V	C315 C316 C317 C318	1-163-031-11 1-124-925-11	TANTALUM CERAMIC CHIP ELECT	2 2MF	20% 10%	16V 16V 50V 50V
C007 C009 C010 C011 C012	1-163-001-11 1-163-001-11 1-163-001-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	220PF 220PF 220PF	10% 10% 10% 10% 10%	50V 50V 50V 50V 50V	C319 C320 C321 C323 C324		ELECT CERAMIC CHIP CERAMIC CHIP		20% 20% 10% 20%	50V 50V 50V 50V 50V
C013 C014 C015 C016	1-163-001-11 1-163-001-11 1-163-001-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	220PF 220PF 220PF	10% 10% 10% 10%	50V 50V 50V 50V	C327 C328 C329	1-163-139-00 1-163-251-11 1-163-001-11	CERAMIC CHIP CERAMIC CHIP	820PF 100PF 220PF	5% 5% 10%	50V 50V 50V
C017 C018 C019 C020	1-163-001-11 1-163-001-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	220PF 220PF	10% 10% 10% 10%	50V 50V 50V 50V	C338 C339 C340	1-126-963-11 1-124-464-11 1-163-133-00 1-124-902-00	ELECT CERAMIC CHIP	4 7MF 0.22MF 470PF 0 47MF	20% 20% 5% 20%	50V 50V 50V
C021 C022 C023 C024	1-163-001-11 1-163-001-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	220PF 220PF	10% 10% 10% 10%	50V 50V 50V 50V	C342 C343 C344 C345				20% 20%	50V 50V 50V 50V
C025 C026 C028	1-163-001-11 1-163-001-11 1-163-001-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	220PF 220PF 220PF	10% 10% 10%	50V 50V 50V	C346 C347 C348 C349	1-124-902-00 1-163-231-11 1-163-243-11	CERAMIC CHIP CERAMIC CHIP	0 47MF 15PF 47PF	20% 5% 5%	50V 50V 50V 50V
C029 C030 C031 C032 C033	1-163-001-11 1-163-001-11 1-163-001-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	220PF 220PF 220PF	10% 10% 10% 10% 10%	50V 50V 50V 50V 25V	C350 C352 C353	1-104-665-11	CERAMIC CHIP ELECT	100MF	20%	50V (KP-41T25) 50V 25V
C034 C035 C037 C038	1-124-903-11	CERAMIC CHIP	1MF	10% 20% 10% 20%	50V 50V 50V 16V	C354 C355 C357	1-163-235-11 1-126-965-11 1-104-664-11		22PF 22MF 47MF	5% 20% 20%	50V (KP-41T25) 50V (KP-41T25) 25V
C040 C041	1-124-903-11	ELECT CERAMIC CHIP	1MF	20%	50V 50V	C358	1-163-231-11	CERAMIC CHIP	15PF	5%	(KP-41T25) 50V
C042 C046	1-163-001-11 1-163-125-00	CERAMIC CHIP CERAMIC CHIP	220PF 220PF	10% 5%	50V 50V	C359		CERAMIC CHIP		5%	(KP-41T25) 50V
C047 C048	1-124-903-11 1-163-245-11	ELECT CERAMIC CHIP	1MF 56PF	20% 5%	50V 50V	C360	1-126-964-11	ELECT	10MF	20%	(KP-41T25) 50V (KP-41T25)
C049 C050		CERAMIC CHIP CERAMIC CHIP		10%	50V 50V	C361	1-126-964-11	ELECT	10MF	20%	50V (KP-41T25)
C051 C054	1-163-001-11	CERAMIC CHIP	220PF	10%	50V 50V	C362	1-163-235-11	CERAMIC CHIP	22PF	5%	50V (KP-41T25)
C055 C056		CERAMIC CHIP		10%	50V 50V	C363	1-163-009-11	CERAMIC CHIP	0 001MF	10%	50V (KP-41T25)
C057 C058	1-163-229-11 1-163-102-00	CERAMIC CHIP CERAMIC CHIP	12PF 24PF	5% 5%	50V 50V	C364	1-126-964-11		10MF	20%	50V (KP-41T25)
C060 C062	1-124-903-11 1-163-038-91	ELECT CERAMIC CHIP	1MF 0 1MF	20%	50V 25V	C365 C366		CERAMIC CHIP		5% 5%	50V (KP-41T25) 50V
C063 C064 C065 C066 C067		ELECT CERAMIC CHIP CERAMIC CHIP		20% 20% 5% 5%	50V 50V 25V 50V 50V	C368 C369 C370 C371	1-163-227-11	CERAMIC CHIP CERAMIC CHIP ELECT	10PF	0 5PF 10% 20% 20%	
C068 C069 C070 C071	1-137-367-11 1-137-375-11 1-104-664-11 1-124-464-11	FILM FILM ELECT	0 0033MF 0 068MF 47MF 0 22MF		50V 50V 25V 50V	CJ001		<chip conduc<="" td=""><td>TOR></td><td></td><td></td></chip>	TOR>		



REF. NO	PART NO	DESCRIPTION REMARK	REF NO	PART NO	DESCRIPTION	REMARK
CJ002 CJ003		CONDUCTOR, CHIP CONDUCTOR, CHIP	IC004 IC005		IC Z8622812PSC IC ST24C01FB6	
		<connector></connector>	IC006 IC301 IC302		IC MN1280-S IC CXA1477AS IC TA7805S	
CN046 CN052		PLUG, CONNECTOR 9P PLUG, CONNECTOR 4P			gov.	
CN053 CN054 CN304	1-573-979-21	(KP-41T25/46S25/53S25) PLUG, CONNECTOR 4P CONNECTOR, BOARD TO BOARD 11P PLUG, CONNECTOR 9P	L003 L004		<coil> INDUCTOR 10UH INDUCTOR 33UH</coil>	
CN314 CN321 CN322	* 1-564-509-11 1-573-301-21	PLUG, CONNECTOR 6P (KP-41T25) CONNECTOR, BOARD TO BOARD 20P CONNECTOR, BOARD TO BOARD 20P	L005 L006 L302	1-410-470-11	INDUCTOR 10UH INDUCTOR 10UH INDUCTOR 22UH (KP-41T2:	5)
CN351 CN355	* 1-564-509-11	PLUG, CONNECTOR 6P CONNECTOR (RECEPTACLE) 30P	L303 L304		INDUCTOR 39UH (KP-41T2: INDUCTOR 6 8UH	5)
CN356 CN357 CN358	* 1-564-516-11	CONNECTOR, HINGE (RECEPTACLE) PLUG, CONNECTOR 13P PLUG, CONNECTOR 5P			<transistor></transistor>	
Citado	1 301 300 11	<diode></diode>	Q001 Q002 Q003	8-729-422-27 8-729-422-27	TRANSISTOR 2SA1162-G TRANSISTOR 2SD601A-Q TRANSISTOR 2SD601A-Q	
D001		DIODE MA110	Q004 Q005		TRANSISTOR 2SA1162-G TRANSISTOR 2SD601A-Q	
D002 D003 D004 D005	8-719-404-46 8-719-109-89	DIODE MA110 DIODE MA110 DIODE RD5 6ESB2 DIODE RD5 6ESB2	Q006 Q007 Q008	8-729-216-22 8-729-216-22	TRANSISTOR 2SD601A-Q TRANSISTOR 2SA1162-G TRANSISTOR 2SA1162-G	
D006 D007		DIODE RD5 6ESB2 DIODE RD5.6ESB2	Q009 Q010		TRANSISTOR 2SD601A-Q TRANSISTOR 2SA1162-G	
D008 D009 D010	8-719-002-81 8-719-404-46	DIODE 1T363 DIODE MA110 DIODE MA110	Q011 Q012 Q013	8-729-422-27	TRANSISTOR 2SA1162-G TRANSISTOR 2SD601A-Q TRANSISTOR 2SA1162-G	TOE 146 SOE 152 SOE
D011 D012		DIODE MA110 DIODE MA110	Q014		TRANSISTOR 2SA1162-G (KP-41	T25/46S25/53S25) T25/46S25/53S25)
D013 D014 D015	8-719-404-46 8-719-404-46	DIODE MA110 DIODE MA110 DIODE MA110	Q015		TRANSISTOR 2SD60ÎA-Q (KP-41	T25/46S25/53S25)
D016		DIODE MA110	Q016 Q017		TRANSISTOR 2SA1162-G (KP-41 TRANSISTOR 2SD601A-Q	T25/46S25/53S25)
D017 D018 D019 D020	8-719-404-46 8-719-404-46	DIODE MA110 DIODE MA110 DIODE MA110 DIODE RD5 6M-B2	Q018 Q019 Q301	8-729-216-22 8-729-422-27	TRANSISTOR 2SA1162-G TRANSISTOR 2SD601A-Q TRANSISTOR 2SA1162-G	
D305 D307		DIODE MTZJ-T-77-9 1A DIODE MTZJ-T-77-9 1A	Q302 Q303		TRANSISTOR 2SA1162-G TRANSISTOR 2SA1162-G	
D308 D309 D310	8-719-109-84	DIODE RD11ESB2 DIODE RD5 1ESB1 DIODE DAP202K	Q304 Q305 Q307	8-729-422-27	TRANSISTOR 2SA1162-G TRANSISTOR 2SD601A-Q TRANSISTOR 2SD601A-Q	
D311 D312		DIODE DAN202K DIODE MA110	Q308 Q309		TRANSISTOR 2SA1162-G TRANSISTOR 2SA1162-G	
D313 D314 D315	8-719-404-46	DIODE MA110 DIODE MA110 DIODE RD5 6ESB2	Q310 Q311 Q312	8-729-422-27	TRANSISTOR 2SD601A-Q (I TRANSISTOR 2SD601A-Q TRANSISTOR 2SD601A-Q (I	
D316 D317 D320	8-719-110-22	DIODE MA110 DIODE RD11ESB2 DIODE MA110 (KP-41T25)	Q313 Q314 Q315	8-729-422-27	TRANSISTOR 2SD601A-Q TRANSISTOR 2SD601A-Q (1 TRANSISTOR 2SD601A-Q (1	
D321 D322	8-719-404-46	DIODE MA110 (KP-41725) DIODE MA110 (KP-41725) DIODE MA110 (KP-41725)	Q316 Q317	8-729-422-27	TRANSISTOR 2SD601A-Q () TRANSISTOR 2SA1162-G ()	KP-41T25)
D323 D324 D325 D326 D327	8-719-404-46 8-719-404-46 8-719-110-08	DIODE MA110 (KP-41T25) DIODE MA110 (KP-41T25) DIODE MA110 (KP-41T25) DIODE RD8 2ESB2 DIODE MA110	Q318 Q319 Q320 Q321 Q322	8-729-422-27 8-729-422-27 8-729-422-27	TRANSISTOR 2SD601A-Q (1 TRANSISTOR 2SD601A-Q (1 TRANSISTOR 2SD601A-Q (1 TRANSISTOR 2SD601A-Q (1 TRANSISTOR 2SD601A-Q	KP-41T25) KP-41T25)
D328	8-719-991-33	DIODE 1SS133T-77	1 0 0 0 0 1 1		<resistor></resistor>	
		<ic></ic>	R001			5% 1/10W
IC001 IC002 IC003	8-752-859-03	IC uPC78N05H IC CXP85332A-056S IC ST24C04FB6	R002 R003 R004 R005	1-216-033-00 1-216-033-00	METAL GLAZE 220 METAL GLAZE 220	5% 1/10W 5% 1/10W 5% 1/10W 5% 1/10W



										<u> </u>
REF. NO	PART NO	DESCRIPTION		REMAR	RK REF NO	PART NO	DESCRIPTION		R	EMARK
D006	1 016 022 00	METAL CLATE	220 50	7. 1/10V	W D075	1 216 060 00	METAL CLATE	6 9 V	5%	1/10W
R006		METAL GLAZE					METAL GLAZE		5%	1/10W
R007		METAL GLAZE					METAL GLAZE			
R008		METAL GLAZE					METAL GLAZE		5%	1/10W
R009		METAL GLAZE				1-216-097-91	METAL GLAZE	100K	5%	1/10W
R010	1-216-073-00	METAL GLAZE	10K 59	% 1/10\	i					
					R079		METAL GLAZE		5%	1/10W
R011	1-216-033-00	METAL GLAZE	220 59	% 1/10V	W R080	1-216-023-00	METAL GLAZE		5%	1/10W
R012	1-216-033-00	METAL GLAZE	220 59	% 1/10\	W R081		METAL GLAZE		5%	1/10W
R013	1-216-073-00	METAL GLAZE	10K 59	% 1/10V	W R082	1-216-093-00	METAL GLAZE	68K	5%	1/10W
R014	1-216-073-00	METAL GLAZE	10K 59	% 1/10V	W R083	1-216-065-00	METAL GLAZE	47K	5%	1/10W
R015	1-216-033-00	METAL GLAZE	220 59	% 1/10V	W					
					R084	1-216-073-00	METAL GLAZE	10K	5%	1/10W
R016	1-216-033-00	METAL GLAZE:	220 59	% 1/10V	W R085	1-216-089-91	METAL GLAZE	47K	5%	1/10W
			(KP-41T	25/46\$25/53	SS25) R086	1-216-097-91	METAL GLAZE	100K	5%	1/10W
R017	1-216-073-00	METAL GLAZE				1-216-073-00	METAL GLAZE	10K	5%	1/10W
				25/46S25/53			METAL GLAZE		5%	1/10W
R018	1-216-049-91	METAL GLAZE	1K 59	% 1/10V	W					
R019		METAL GLAZE		% 1/10V	W R089	1-216-065-00	METAL GLAZE	4.7K	5%	1/10W
R020		METAL GLAZE					METAL GLAZE		5%	1/10W
11020					R091		METAL GLAZE		5%	1/10W
R021	1-216-033-00	METAL GLAZE	220 59	% 1/10\	1				T25/468	(25/53S25)
R022		METAL GLAZE				1-216-081-00	METAL GLAZE		5%	1/10W
R023		METAL GLAZE								325/53\$25)
R024		METAL GLAZE				1-216-295-91	CONDUCTOR, C			
R025		METAL GLAZE					00112001011, 0	(_0,000_0,
1025	1 210 0/3 00	METALE OFFICE	1011	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	R094	1-216-081-00	METAL GLAZE	22K	5%	1/10W
R026	1-216-073-00	METAL GLAZE	10K 59	% 1/10V	1	501 00				(25/53S25)
R027		METAL GLAZE				1-216-081-00	METAL GLAZE		5%	1/10W
R028		METAL GLAZE				1 210 001 00	WILLIAM CONTED			325/53825)
R029		METAL GLAZE				1-216-081-00	METAL GLAZE		5%	1/10W
R031		METAL GLAZE				1-210-001 00	WELLE GELIZE			\$25/53\$25)
RUSI	1-210-003-00	MIETAL OLAZE	4 /K J	70 1/10	R097	1.216-081-00	METAL GLAZE		5%	1/10W
R032	1 216 065 00	METAL GLAZE	47K 5	% 1/10V		1-210-001-00	MILIAL OLAZE			\$25/53\$25)
		METAL GLAZE				1 216 081 00	METAL GLAZE		5%	1/10W
R033 R034		METAL GLAZE				1-210-001-00	MIETAL GLAZE			\$25/53\$25)
								(11-41	123/400	23133323)
R035		METAL GLAZE				1 216 091 00	METAL GLAZE	221	5%	1/10W
R036	1-210-023-91	METAL GLAZE	100 5	70 1/10	W KO99	1-210-001-00	WIETAL GLAZE			\$25/53\$25)
D027	1 216 022 00	METAL CLAZE	220 5	% 1/10	w R100	1 216 205 01	CONDUCTOR, C			
R037		METAL GLAZE					METAL GLAZE		5%	1/10W
R038		METAL GLAZE					METAL GLAZE		5%	1/10W
R039		METAL GLAZE					METAL GLAZE		5%	1/10W
R040		METAL GLAZE				1-210-043-00	METAL GLAZE	000	370	1/10 W
R041	1-210-033-00	METAL GLAZE	220 5	% 1/10\		1 216 022 00	METAL CLAZE	220	5%	1/10W
D040	1 016 022 00	METAL CLASE	000 5	07 1/103	R104		METAL GLAZE		5%	
R042		METAL GLAZE					METAL GLAZE METAL GLAZE		5%	1/10W
R043		METAL GLAZE					METAL GLAZE		5%	1/10W
R044		METAL GLAZE					METAL GLAZE		5% 5%	1/10W
R045		METAL GLAZE		% 1/10\		1-210-033-00	METAL GLAZE	220	3%	1/10W
R046	1-216-033-00	METAL GLAZE	220 5	% 1/10		1 01/ 022 00	METAL CLASE	220	EM	1/10337
D045	1 016 000 00	A COMPAN OF A CID	200	07 1/103	R110		METAL GLAZE METAL GLAZE		5%	1/10W 1/10W
R047		METAL GLAZE		% 1/10\					5% 5%	
R048		METAL GLAZE		% 1/10\			METAL GLAZE			1/10W
R049		METAL GLAZE		% 1/10 ¹			METAL GLAZE		5%	1/10W
R050		METAL GLAZE		% 1/10		1-210-003-00	METAL GLAZE	4 /K	5%	1/10W
R051	1-210-049-91	METAL GLAZE	1K 5	% 1/10 ¹		1 014 045 00	METAL OF ART	174	5 OL	1/10337
2000	1 016 067 00	> (TTT + 1 CT + CT		~ 11101	R115		METAL GLAZE		5%	1/10W
R052		METAL GLAZE		% 1/10\			METAL GLAZE		5%	1/10W
R054		METAL GLAZE		% 1/10 ¹			METAL GLAZE		5%	1/10W
R055		METAL GLAZE		% 1/10\			METAL GLAZE		5%	1/10W
R056		METAL GLAZE		% 1/10 ¹		1-216-047-91	METAL GLAZE	620	5%	1/10W
R057	1-210-065-00	METAL GLAZE	4./K 5	% 1/10		1 017 000 00	MIDDAY OF ARTS	220	50%	1/1/337
2072		3 477073 4 7	4.075	ne	R120		METAL GLAZE		5%	1/10W
R058		METAL GLAZE		% 1/10			METAL GLAZE		5%	1/10W
R059		CONDUCTOR, C			R301		METAL GLAZE		5%	1/10W
R060		METAL GLAZE		% 1/10			METAL GLAZE		5%	1/10W
R061	1-216-033-00	METAL GLAZE		% 1/10		1-216-049-91	METAL GLAZE	1K	5%	1/10W
				25/46S25/53		1.016.610.6		177	5 CT	1/10***
R062	1-216-085-00	METAL GLAZE	33K 5	% 1/10			METAL GLAZE		5%	1/10W
					R305		METAL GLAZE		5%	1/10W
R063		METAL GLAZE		% 1/10			METAL GLAZE		5%	1/10W
R064		METAL GLAZE		% 1/10			METAL GLAZE		5%	1/10W
R065		METAL GLAZE		% 1/10		1-216-073-00	METAL GLAZE	10 K	5%	1/10W
R066		METAL GLAZE		% 1/10				100		
R067	1-216-049-91	METAL GLAZE	1K 5	% 1/10 ¹			METAL GLAZE		5%	1/10W
					R310		METAL GLAZE		5%	1/10W
R068		METAL GLAZE		% 1/10			METAL GLAZE		5%	1/10W
R069		METAL GLAZE		% 1/10			METAL GLAZE		5%	1/10W
R071		METAL GLAZE		% 1/10		1-216-081-00	METAL GLAZE	22K	5%	1/10W
R072		METAL GLAZE		% 1/10						
R073	1-216-049-91	METAL GLAZE	1K 5	% 1/10			METAL GLAZE		5%	1/10W
					R315		METAL GLAZE		5%	1/10W
R074	1-216-049-91	METAL GLAZE	1K 5	% 1/10	W R317	1-216-033-00	METAL GLAZE	220	5%	1/10W
					1					

M G

Les composants identifies par une trame et une marque Å sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie The componants identified by shading and mark $ilde{\Lambda}$ are critical for safety
Replace only with part number specified

REF NO.	PART NO	DESCRIPTION		REMARK	REF. NO	PART NO	DESCRIPTION			REMARK
R318 R319		METAL GLAZE		1/10W 1/8W	R375	1-216-075-00	METAL GLAZE	12K	5%	1/10W (KP-41T25)
R320		METAL GLAZE		1/8 W 1/10W	R376	1-216-093-00	METAL GLAZE	68K	5%	1/10W (KP-41T25)
R321 R323	1-216-190-00 1-216-295-91	METAL GLAZE A CONDUCTOR, CI METAL GLAZE	470 5% HIP	1/8W 1/8W	R377	1-216-043-91	METAL GLAZE	560	5%	1/10W (KP-41T25)
R324 R325		METAL GLAZE		1/10W 1/10W	R378	1-216-059-00	METAL GLAZE	2 7K	5%	1/10W (KP-41T25)
R326 R327		METAL GLAZE		1/10W 1/10W	R379	1-216-083-00	METAL GLAZE	27K	5%	1/10W (KP-41T25)
R328	1-216-025-91	METAL GLAZE	100 5%	1/10W 1/10W 1/10W	R380	1-216-097-91	METAL GLAZE	100K	5%	1/10W (KP-41T25)
R329 R330		METAL GLAZE		1/10W 1/10W	R381	1-216-071-00	METAL GLAZE	8 2K	5%	1/10W (KP-41T25)
R331 R332 R333	1-216-049-91	METAL GLAZE : METAL GLAZE METAL CHIP		1/10W 1/10W 5 1/10W	R382	1-216-085-00	METAL GLAZE	33K	5%	1/10W (KP-41T25)
R335 R336	1-216-033-00	METAL GLAZE :	220 5%	1/10W 1/10W 1/10W	R383	1-216-043-91	METAL GLAZE	560	5%	1/10W (KP-41T25)
				1/10W	R384	1-216-053-00	METAL GLAZE	1 5K	5%	1/10W (KP-41T25)
R337 R338	1-216-049-91	METAL GLAZE METAL GLAZE	1K 5%	1/10W	R385	1-216-085-00	METAL GLAZE	33K	5%	1/10W (KP-41T25)
R339 R340	1-216-033-00	METAL GLAZE		1/10W	R386	1-216-121-91	METAL GLAZE	1 M	5%	1/10W (KP-41T25)
R341		METAL GLAZE		1/10W	R387	1-216-049-91	METAL GLAZE	1K	5%	1/10W
R342 R343	1-216-077-00	METAL GLAZE	15K 5%	1/10W 1/10W	200	1 016 005 01		100	5.01	(KP-41T25)
R344 R345	1-216-025-91	METAL GLAZE METAL GLAZE	100 5%	1/10W 1/10W	R388		METAL GLAZE		5%	1/10W (KP-41T25)
R346		METAL GLAZE		1/10W	R389		METAL GLAZE		5%	1/10W (KP-41T25)
R347 R348	1-216-049-91	METAL GLAZE	1K 5%	1/10W 1/10W (KP-41T25)	R390 R391 R392	1-216-061-00	METAL GLAZE METAL GLAZE METAL GLAZE	3 3K	5% 5% 5%	1/10W 1/10W 1/10W
R349 R350	1-216-033-00	METAL GLAZE METAL GLAZE	220 5%	1/10W 1/10W	R393	1-216-049-91	METAL GLAZE	1K	5%	1/10W
R351		METAL GLAZE		1/10W	R394	1-216-295-91	CONDUCTOR, C	CHIP		(KP-41T25)
R352		METAL GLAZE		1/10W (KP-41T25)						
R353	1-216-069-00	METAL GLAZE		1/10W (KP-41T25)			<crystal></crystal>			
R354 R355		METAL GLAZE METAL GLAZE		1/10 W 1/10 W	X001 X301	1-577-611-11	VIBRATOR, CR' OSCILALTOR, C	CERAMIC		
R356	1-216-031-00	METAL GLAZE	180 5%	1/10W (KP-41T25)	X302	1-567-505-11	OSCILLATOR, O	CRYSTAL		
R357	1-216-031-00	METAL GLAZE	180 5%	1/10W	*****	******	de slie wie he he he he he he he he he	***	****	***
R358		METAL GLAZE		(KP-41T25) 1/10W			G BOARD, CO			
R359		METAL GLAZE		1/10W (KP-41T25)		* A-1510-212-A	**********	and also also also also also also		
R360 R361		METAL GLAZE METAL GLAZE		1/10W 1/10W		* 4-047-936-01	PLATE, SHIELD	, PIT		
R362	1-216-035-00	METAL GLAZE	270 5%	1/10W (KP-41T25)			<capacitor></capacitor>			
R363	1-216-049-91	METAL GLAZE	1K 5%	1/10W (KP-41T25)	C601	A 1-136-311-51	FILM	0.47 M F	20%	125V
R364	1-216-025-91	METAL GLAZE	100 5%	1/10W (KP-41T25)	C602	▲ 1-113-920-91 ▲ 1-113-920-91	ELECT	0.0022MF 0.0022MF		250V 250V
R366	1-216-053-00	METAL GLAZE	1 5K 5%	1/10W (KP-41T25)	C604	▲ 1-125-692-11	ELECT(BLOCK ELECT(BLOCK	820MF	20% 20%	200V 200V
R367	1-216-057-00	METAL GLAZE	2 2K 5%	1/10W (KP-41T25)		1-164-645-11		1000PF	10%	500V
R368	1_216_025_01	METAL GLAZE	100 5%	1/10W	C609 C610	1-164-645-11 1-136-173-00	CERAMIC	1000PF 0 47MF	10% 5%	500V 50V
				(KP-41T25)		1-136-171-00 1-136-173-00	FILM	0 33MF 0 47MF	5% 5%	50V 50V
R369		METAL GLAZE		1/10W (KP-41T25)		1-136-171-00		0 33MF	5%	50V
R370 R371		METAL GLAZE METAL GLAZE		1/10W 1/10W	C613 C614	1-164-735-11	CAPACITOR	0 0015MF	10%	500V
R372	1-216-051-00	METAL GLAZE	1 2K 5%	(KP-41T25) 1/10W (KP-41T25)	C616	1-129-720-00 A 1-136-311-51 A 1-113-910-91	FILM	0.033MF 0.47MF 470PF	5% 20% 10%	630V 125V 250V
R373	1-216-035-00	METAL GLAZE	270 5%	1/10W (KP-41T25)	C619 C651	A 1-113-910-91 1-128-548-11		470PF 4700MF	10% 20%	250V 25V
R374	1-216-085-00	METAL GLAZE	33K 5%	1/10W	C652	1-128-548-11 1-128-548-11 1-162-318-11	ELECT	4700MF 4700MF 0 001MF	20% 20% 10%	25V 25V 500V
				(KP-41T25)	1 0000	1-102-310-11	CENAMIC	O OO LIVII.	10/0	200 ¥

The componants identified by shading and mark \triangle are critical for safety Replace only with part number specified

Les composants identifies par une trame et une marque \(\frac{\hat{L}}{L}\) sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie



REMARK R	apeomoc	•	picoc por	and to marrior) apound					
1-16-62-11 ELECT 100MF 20% 10V 1073 8-719-109-56 1000E RD2 21SSB2	REF. NO.	PART NO	DESCRIPTION			REMARK	REF NO	PART NO	DESCRIPTION	REMARK
1-123-02-21 LECT	C657 C658 C659	1-126-926-11 1-126-768-11 1-126-944-11	ELECT ELECT ELECT	1000MF 2200MF 3300MF	20% 20% 20%	10V 16V 25V	D672 D673 D674	8-719-109-54 8-719-110-49 8-719-991-33	DIODE RĎ2 2ESB2 DIODE RD18ESB2 DIODE 1SS133T-77	
C665 1-126-235-11 ELECT 100MF 20% 50% 5719-200-82 DIODE IES2 C666 1-126-591-11 ELECT 470MF 20% 35V D681 8-719-200-82 DIODE IES2 C668 1-126-591-11 ELECT 470MF 20% 25V D685 8-719-200-82 DIODE IES2 C669 1-126-318-11 CERAMIC 001MF 10% 500V D685 8-719-200-82 DIODE IES2 C670 1-104-664-11 ELECT 470MF 20% 25V D686 8-719-90-133 DIODE ISS1337-77 C671 1-104-664-11 ELECT 470MF 20% 25V D686 8-719-90-133 DIODE ISS1337-77 C672 1-104-664-11 ELECT 470MF 20% 25V D680 8-719-90-133 DIODE ISS1337-77 C673 1-104-664-11 ELECT 470MF 20% 25V D680 8-719-90-133 DIODE ISS1337-77 C674 1-104-664-11 ELECT 470MF 20% 25V D680 8-719-90-133 DIODE ISS1337-77 C675 1-104-664-11 ELECT 470MF 20% 25V D690 8-719-90-133 DIODE ISS1337-77 C676 1-104-664-11 ELECT 470MF 20% 25V D690 8-719-90-133 DIODE ISS1337-77 C677 1-125-40-11 ELECT 470MF 20% 50V D690 8-719-90-133 DIODE ISS1337-77 C681 1-104-664-11 ELECT 100MF 20% 50V D690 8-719-90-133 DIODE ISS1337-77 C690 1-126-90-11 ELECT 100MF 20% 50V D690 8-719-90-133 DIODE ISS1337-77 C691 1-126-90-11 ELECT 100MF 20% 50V D690 8-719-90-133 DIODE ISS1337-77 C692 1-126-90-11 ELECT 100MF 20% 50V D690 8-719-90-133 DIODE S000 S0	C661 C662	1-123-024-21 1-107-636-11	ELECT	33MF 10MF	20%	160V 160V	D677 D678	8-719-991-33 8-719-991-33	DIODE 1SS133T-77 DIODE 1SS133T-77	
C668	C664 C665	1-126-235-11 1-126-964-11	ELECT ELECT	100MF 10MF	20% 20%	6 3V 50V	D680 D681	8-719-200-82 8-719-200-82	DIODE 11ES2 DIODE 11ES2	
C674	C669 C670 C671	1-162-318-11 1-104-664-11 1-104-664-11	CERAMIC ELECT ELECT	0 001MF 47MF 47MF	10% 20% 20%	500V 25V 25V	D683 D685 D686	8-719-200-82 8-719-991-33 8-719-991-33	DIODE 11ES2 DIODE 1SS133T-77 DIODE 1SS133T-77	
C678	C673 C674 C675	1-104-664-11 1-104-664-11 1-104-664-11	ELECT ELECT ELECT	47MF 47MF 47MF	20% 20% 20%	25V 25V 25V	D688 D689 D690	8-719-991-33 8-719-991-33 8-719-109-89	DIODE 1SS133T-77 DIODE 1SS133T-77 DIODE RD5 6ESB2	
C679 1-164-64-11 CERAMIC 330PF 10% 50V 600 1-424-903-11 ELECT 1MF 20% 50V 600 1-124-903-11 ELECT 1MF 20% 50V 160V 1-533-1223-11 CLIP, PUSE; F601 1-70-653-11 ELECT 1MF 20% 50V 1-70-653-11 ELECT 10MF 20% 50V 1-70-653-11 ELECT 1-70-654-11 ELECT 10MF 20% 50V 1-70-653-11 ELECT 1-70-654-11 ELECT 10MF 20% 50V 1-70-654-11 ELECT 10MF 20% 1-70-654-11 ELECT 1-70-654-11	C677	1-125-473-11	ELECT(BLOCK)	1000MF	20%	160V	D693	8-719-991-33	DIODE 1SS133T-77	
C691	C679 C680 C682	1-164-644-11 1-124-903-11 1-124-903-11	CERAMIC ELECT ELECT	330PF 1MF 1MF	10% 20% 20%	500V 50V 50V	F601		FUSE 6.3A/125V	
CN606									✓EEPRITE READ	
CN615 1-695-915-11 TAB (CONTACT) CN616 1-564-507-11 PLUG, CONNECTOR 4P	2071	1-120 704 11			20 %	30 v			FERRITE BEAD INC	
CN681	CN615 CN616 CN617	1-695-915-11 * 1-564-507-11 * 1-580-843-11	TAB (CONTACT PLUG, CONNECT PIN, CONNECTO	r) ETOR 4P OR (POWE	R)				POWER MODULE (I	DM-48)
CN681 *1-573-986-11 PIN, CONNECTOR (PC BOARD) SP L651	CN626	* 1-564-506-11	PLUG, CONNEC	TOR 3P					<coil></coil>	
D601 № 8-719-991-33 DIODE LN4SB60-F D604 8-719-991-33 DIODE ISSI33T-77 L657 1-403-588-11 CIL, CHOKE 22UH D606 8-719-991-33 DIODE ISSI33T-77 L658 1-403-588-11 CIL, CHOKE 22UH D607 8-719-991-33 DIODE ISSI33T-77 L658 1-403-588-11 CIL, CHOKE 22UH D608 8-719-991-33 DIODE ISSI33T-77 CFRANSISTOR> D609 8-719-991-33 DIODE ISSI33T-77 Q601 8-729-019-49 TRANSISTOR 2SC4834M D611 8-719-991-33 DIODE ISSI33T-77 Q602 8-729-019-49 TRANSISTOR 2SC4834M D651 8-719-991-33 DIODE ISSI33T-77 Q602 8-729-019-49 TRANSISTOR 2SC4834M D651 8-719-9052-91 DIODE D4SBS4F Q651 8-729-820-82 TRANSISTOR 2SC4834M D655 8-719-052-92 DIODE DDS4MF Q652 8-729-119-76 TRANSISTOR 2SC2458-YGR D657 8-719-022-97 DIODE D2S4MF Q654 8-729-119-76 TRANSISTOR 2SC2458-YGR D658 8-719-052-8			PIN, CONNECTO		ARD) 5	5P	L652 L653 L654	1-403-588-11 1-412-519-11 1-403-588-11	CIL, CHOKE 22UH INDUCTOR 3 3UH CIL, CHOKE 22UH	
D609 8-719-991-33 DIODE ISSI33T-77 D610 8-719-991-33 DIODE ISSI33T-77 D610 8-719-991-33 DIODE ISSI33T-77 D611 8-719-991-33 DIODE ISSI33T-77 D612 8-719-91-33 DIODE ISSI33T-77 D613 8-719-052-91 DIODE D4SBS4-F D653 8-719-052-92 DIODE D10SBS4F D656 8-719-022-97 DIODE D2S4MF D657 8-719-022-97 DIODE D2S4MF D658 8-719-022-97 DIODE D2S4MF D659 8-719-022-97 DIODE D2S4MF D659 8-719-022-97 DIODE D2S4MF D650 8-719-052-86 DIODE D2L40-TA D660 8-719-052-86 DIODE D2L40-TA D661 8-719-052-86 DIODE D1NL40-TR2 D663 8-719-052-31 DIODE D1NL40-TR2 D664 8-719-510-26 DIODE D1NL40-TR2 D665 8-719-91-33 DIODE ISSI33T-77 D666 8-719-91-33 DIODE ISSI33T-77 D666 8-719-91-33 DIODE MTZJ-11B D667 8-719-10-41 DIODE RD15ESB2 D670 8-719-110-41 DIODE RD15ESB2 D680 8-719-110-41 DIODE RD15ESB2 D681 8-719-110-41 DIODE RD15ESB2 D692 8-719-110-41 DIODE RD15ESB2 D603 8-719-110-41 DIODE RD15ESB2 D604 8-719-110-41 DIODE RD15ESB2 D605 8-719-110-41 DIODE RD15ESB2 D6060 8-719-110-41 DIODE RD15ESB2 D607 8-719-110-41 DIODE RD15ESB2 D608 8-719-110-41 DIODE RD15ESB2 D608 8-719-110-41 DIODE RD15ESB2 D609 8-719-110-41 DIODE RD15ESB2	D604 D605 D606	8-719-991-33 8-719-991-33 8-719-991-33	DIODE 1SS133T DIODE 1SS133T DIODE 1SS133T	-77 -77 -77			L656 L657	1-412-519-11 1-403-588-11	INDUCTOR 3 3UH CIL, CHOKE 22UH	
D610 8-719-991-33 DIODE ISS133T-77 Q601 8-729-019-49 TRANSISTOR 2SC4834M D611 8-719-991-33 DIODE ISS133T-77 Q602 8-729-019-49 TRANSISTOR 2SC4834M Q651 8-729-019-49 TRANSISTOR 2SC4834M Q651 8-729-820-82 TRANSISTOR 2SC4834M Q652 8-729-019-49 TRANSISTOR 2SC4834M Q653 8-729-019-49 TRANSISTOR 2SC4834M Q653 8-729-019-49 TRANSISTOR 2SC128-S Q652 8-729-019-49 TRANSISTOR 2SC128-S Q652 8-729-019-49 TRANSISTOR 2SC128-S Q653 8-729-019-49 TRANSISTOR 2SC128-S Q653 8-729-019-49 TRANSISTOR 2SC128-S Q654 8-729-019-76 TRANSISTOR 2SA1175-HFE Q656 8-719-022-97 DIODE D108BS4F Q653 8-729-029-45 TRANSISTOR 2SC1458-YGR Q658 8-729-022-97 DIODE D28-4MF Q656 8-729-022-97 DIODE D28-4MF Q658 8-729-022-97 DIODE D28-4MF Q659 8-729-022-97 DIODE D28-4MF Q658 8-729-022-97 DIODE D28-4MF Q65									<transistor></transistor>	
D656 8-719-022-97 DIODE D2S4MF D657 8-719-022-97 DIODE D2S4MF D658 8-719-022-97 DIODE D2S4MF D659 8-719-022-97 DIODE D2S4MF D659 8-719-022-97 DIODE D2S4MF D660 8-719-052-86 DIODE D2L40-TA D661 8-719-052-86 DIODE D2L40-TA D662 8-719-052-31 DIODE D1NL40-TR2 D663 8-719-052-31 DIODE D1NL40-TR2 D664 8-719-510-26 DIODE D1NL40-TR2 D665 8-719-91-33 DIODE D1NL20-TA D666 8-719-91-33 DIODE 1SS133T-77 D666 8-719-91-35 DIODE M2S133T-77 D667 8-719-91-30 DIODE M2S133T-77 D668 8-719-91-31 DIODE M2S133T-77 D669 8-719-91-33 DIODE SS133T-77 D670 8-719-110-41 DIODE RD15ESB2 D670 8-719-110-41 DIODE RD15ESB2 D684 8-729-119-76 TRANSISTOR 2SA1175-HFE D685 8-719-91-33 DIODE SS133T-77 D686 8-719-91-33 DIODE RD22ESB3 D687 8-719-91-33 DIODE RD25ESB2 C688 8-729-119-76 TRANSISTOR 2SA1175-HFE C789 8-729-119-76 TRANSISTOR 2SA1175-HFE C799 8-729-119-76 TRANSISTOR 2SA1175-HFE	D610 D611 D651	8-719-991-33 8-719-991-33 8-719-052-91	DIODE 1SS133T DIODE 1SS133T DIODE D4SBS4-	-77 -77 ·F			Q602 Q651 Q652	8-729-019-49 8-729-820-82 8-729-119-76	TRANSISTOR 2SC48 TRANSISTOR 2SA12 TRANSISTOR 2SA12	334M 208-S 175-HFE
D660 8-719-052-86 DIODE D2L40-TA D661 8-719-052-86 DIODE D2L40-TA D662 8-719-052-31 DIODE D1NL40-TR2 D663 8-719-052-31 DIODE D1NL40-TR2 D664 8-719-510-26 DIODE D1NL40-TR2 D665 8-719-91-33 DIODE D1NL20-TA D666 8-719-110-58 DIODE BS133T-77 D666 8-719-921-80 DIODE MTZJ-11B D669 8-719-91-33 DIODE SS133T-77 D660 8-719-91-33 DIODE MTZJ-11B D669 8-719-91-33 DIODE SS133T-77 D670 8-719-110-41 DIODE RD15ESB2 Q658 8-729-119-76 TRANSISTOR 2SA1175-HFE Q660 8-729-119-76 TRANSISTOR 2SA1175-HFE Q662 8-729-119-76 TRANSISTOR 2SA1175-HFE Q663 8-729-119-76 TRANSISTOR 2SA1175-HFE Q664 8-729-119-76 TRANSISTOR 2SA1175-HFE Q665 8-729-119-76 TRANSISTOR 2SA1175-HFE Q666 8-729-119-76 TRANSISTOR 2SA1175-HFE Q667 8-719-9110-58 DIODE MTZJ-11B Q668 8-729-119-76 TRANSISTOR 2SA1175-HFE Q669 8-729-119-76 TRANSISTOR 2SA1175-HFE Q660 8-729-119-76 TRANSISTOR 2SA1175-HFE Q661 8-729-119-76 TRANSISTOR 2SA1175-HFE Q662 8-729-119-76 TRANSISTOR 2SA1175-HFE Q663 8-729-119-76 TRANSISTOR 2SA1175-HFE Q664 8-729-119-76 TRANSISTOR 2SA1175-HFE Q665 8-729-119-76 TRANSISTOR 2SA1175-HFE Q666 8-729-119-76 TRANSISTOR 2SA1175-HFE Q667 8-729-119-76 TRANSISTOR 2SA1175-HFE Q668 8-729-119-76 TRANSISTOR 2SA1175-HFE Q669 8-729-119-76 TRANSISTOR 2SA1175-HFE Q669 8-729-119-76 TRANSISTOR 2SA1175-HFE Q660 8-729-119-76 TRANSISTOR 2SA1175-HFE Q660 8-729-119-76 TRANSISTOR 2SA1175-HFE Q661 8-729-119-76 TRANSISTOR 2SA1175-HFE Q662 8-729-119-76 TRANSISTOR 2SA1175-HFE Q662 8-729-119-76 TRANSISTOR 2SA1175-HFE Q662 8-729-119-76 TRANSISTOR 2SA1175-HFE Q663 8-729-119-76 TRANSISTOR 2SA1175-HFE Q669 8-729-119-76 TRANSISTOR 2SA1175-HFE Q660 8-729-119-76 TRANSISTOR 2SA1175-HFE Q661 8-729-119-76 TRANSISTOR 2SA1175-HFE Q662 8-729-119-76 TRANSISTOR 2SA1175-HFE Q662 8-729-119-76 TRANSISTOR 2SA1175-HFE Q662 8-729-119-76 TRANSISTOR 2SA1175-HFE Q662 8-729-119-76 TRANSISTOR 2SA1175-HFE Q669 8-719-110-41 DIODE RD15ESB2	D656 D657 D658	8-719-022-97 8-719-022-97 8-719-022-97	DIODE D2S4MF DIODE D2S4MF DIODE D2S4MF				Q654 Q655 Q656	8-729-119-76 8-729-230-45 8-729-119-76	TRANSISTOR 2SA1 TRANSISTOR 2SC24 TRANSISTOR 2SA1	175-HFE 158-YGR 175-HFE
D665 8-719-991-33 DIODE ISS133T-77 Q663 8-729-119-76 TRANSISTOR 2SA1175-HFE D666 8-719-110-58 DIODE RD22ESB3 D667 8-719-991-33 DIODE ISS133T-77 <	D661 D662 D663	8-719-052-86 8-719-052-31 8-719-052-31	DIODE D2L40-T DIODE D1NL40- DIODE D1NL40-	A -TR2 -TR2			Q658 Q659 Q660 Q661	8-729-119-76 8-729-119-76 8-729-119-76 8-729-119-76	TRANSISTOR 2SA1 TRANSISTOR 2SA1 TRANSISTOR 2SA1 TRANSISTOR 2SA1	175-HFE 175-HFE 175-HFE 175-HFE
	D666 D667 D669	8-719-110-58 8-719-921-80 8-719-991-33	DIODE RD22ESI DIODE MTZJ-11 DIODE 1SS133T	B3 B -77					TRANSISTOR 2SA1	
	0/90	8-719-110-41	DIODE KDISESI	D 2			R602 //	1-219-236-91	SOLID 2.2	M 20% 1/2W





Les composants identifies par une trame et une marque A sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie The componants identified by shading and mark 🛦 are critical for safety.
Replace only with part number specified

REF. NO.	PART NO	DESCRIPTION			REMARK ;	REF NO	PART NO	DESCRIPTION		I	REMARK
	1-205-997-11 1-247-891-91	WIREWOUND	2.2 330K	5% 5%	10W 1/4W			<relay></relay>			
R605	1 1-247-891-91 1 1-202-933-61	CARBON	330K 0.1	5% 10%	1/4W 1/2W F		A 1-755-032-11 A 1-755-032-11	RELAY RELAY			
R607 R608	1-247-891-00 1-247-891-00	CARBON	330K 330K	5% 5%	1/4W 1/4W			<transforme< td=""><td>R></td><td></td><td></td></transforme<>	R>		
R609 R610 R611	1-216-369-00 1-247-891-00 1-247-891-00		1 330K 330K	5% 5% 5%	2W F 1/4W 1/4W			TRANSFORMER TRANSFORMER			IT)
R612	1-216-369-00	METAL OXIDE	1	5%	2W F	T603 T604	∆ 1-427-865-11 ∆ 1-427-864-12	TRANSFORMER TRANSFORMER	, POWER CONVER	TER (PI	
R613 R614 R615	1-247-791-91 1-247-791-91 1-247-791-91	CARBON	22 22 22	5% 5% 5%	1/4W 1/4W 1/4W	T605	A 1-427-850-11	TRANSFORMER	, LINE FIL	IER	
R616	1-247-791-91	CARBON	22	5%	1/4W	******	******	*********	******	*****	****
R631 R632 R633	1-247-863-91 1-247-807-31 1-247-807-31	CARBON	22K 100 100	5% 5% 5%	1/4W 1/4W 1/4W		* A-1331-498-A	CR BOARD, CO			
R634 R635	1-249-417-11 1-249-425-11	CARBON	1K 4 7K	5% 5%	1/4W 1/4W						
R636 R651	1-249-413-11 1-216-370-11	CARBON METAL OXIDE	470 1 2	5% 5%	1/4W 2W F			<capacitor></capacitor>			
R653 R654	1-249-418-11 1-215-473-00	CARBON METAL	1 2K 150K	5% 1%	1/4W F 1/4W	C701 C702	1-104-664-11 1-107-662-11	ELECT	47MF 22MF	20% 20%	25V 250V
R655 R656	1-249-441-11	METAL OXIDE	100K	5% 5%	1/4W 2W F	C703 C704 C705	1-161-754-00 1-126-768-11 1-102-050-00	ELECT	0 001MF 2200MF 0 01MF	10% 20%	2KV 16V 500V
R657 R658	1-249-429-11 1-247-883-00	CARBON CARBON	10K 150K	5% 5%	1/4W 1/4W	C706	1-102-953-00	CERAMIC	18PF	5%	50V
R659 R660	1-249-417-11 1-249-417-11		1K 1K	5% 5%	1/4W F 1/4W	C707 C708 C709	1-102-129-00 1-104-664-11 1-107-651-11	ELECT	0 01MF 47MF 4 7MF	10% 20% 20%	50V 25V 250V
	1-215-471-00 1-215-452-91	METAL	120K 20K	1% 1%	1/4W 1/4W	C710	1-102-157-00	CERAMIC	560PF	10%	500V
R663 R664 R665	1-215-421-00 1-249-429-11 1-249-425-11	CARBON	1K 10K 47K	1% 5% 5%	1/4W 1/4W 1/4W	C714 C715 C716	1-162-115-00 1-101-005-00 1-102-050-00	CERAMIC	330PF 0 022MF 0 01MF	10%	2KV 50V 500V
R666	1-249-429-11	CARBON	10K	5%	1/4W						
R667 R668 R670	1-249-429-11 1-215-487-00 1-247-895-91	METAL	10K 560K 470K	5% 1% 5%	1/4W 1/4W 1/4W	CN701	* 1-508-784-00	<connector> PIN, CONNECTO</connector>		ITCH) 1	P
R671	1-249-429-11	CARBON	10K	5%	1/4 W	CN702 CN703	* 1-564-510-11 * 1-564-512-11	PLUG, CONNEC PLUG, CONNEC	TOR 7P TOR 9P		
R672 R673 R674	1-247-807-31 1-249-423-11 1-249-413-11	CARBON	100 3 3K 470	5% 5% 5%	1/4W 1/4W 1/4W	CN704 CN705		PLUG, CONNEC PLUG, CONNEC			
R675 R676	1-249-429-11 1-249-421-11	CARBON	10K 2 2K	5% 5%	1/4W 1/4W		▲ 1-251-179-11	TAB (CONTACT SOCKET, PICTU	RE TUBE		
R677 R678	1-249-417-11 1-249-423-11		1K 3.3K	5% 5%	1/4W 1/4W	CN709	* 1-364-306-11	PLUG, CONNEC	TOR 3P		
R679 R680	1-249-423-11 1-249-413-11	CARBON CARBON	3 3 K 470	5% 5%	1/4W 1/4W			<diode></diode>			
R681 R682	1-249-425-11 1-249-403-11		4 7K 68	5% 5%	1/4W 1/4W	D701 D702 D703	8-719-991-33	DIODE 1SS133T DIODE 1SS133T DIODE 1SS133T	-77		
R683 R684	1-249-417-11 1-249-417-11	CARBON CARBON	1K 1K	5% 5%	1/4W 1/4W	D704 D705	8-719-921-86	DIODE MTZJ-13 DIODE 11EQS04			
R685 R686	1-247-863-91 1-249-429-11		22K 10K	5% 5%	1/4W 1/4W	D706 D707		DIODE 1SS133T			
R687 R688	1-249-423-11 1-249-423-11	CARBON	3 3K 3 3K	5% 5%	1/4W 1/4W	D708 D710	8-719-901-83 8-719-109-89	DIODE 1SS83 DIODE RD5 6ES	В2		
R689 R690 R691	1-249-429-11 1-247-863-91 1-249-417-11	CARBON	10K 22K 1K	5% 5% 5%	1/4W 1/4W 1/4W	D711 D713		DIODE 1SS133T	-77		
R693	1-249-425-11	CARBON	47K	5%	1/4 W	D716 D717	8-719-921-86	DIODE MTZJ-13 DIODE MTZJ-13			
R694 R695 R697	1-249-425-11 1-249-429-11 1-249-413-11	CARBON	4 7K 10K 470	5% 5% 5%	1/4W 1/4W 1/4W			<ic></ic>			
R698	1-249-429-11	CARBON	10K	5%	1/4W	IC701	8-759-346-42	IC TDA6101Q/N	3		
R699	1-249-417-11	CARBON	1K	5%	1/4 W			<coil></coil>			
						L701	1-408-429-00	INDUCTOR 470	UH		
						i					

The componants identified by shading and mark \triangle are critical for safety Replace only with part number specified.

Les composants identifies par une trame et une marque \(\int \) sont critiques pour la securite. Ne les remplacer que par une piece portant le numero specifie







REF NO.	PART NO	DESCRIPTION		Į.	REMARK	REF NO	PART NO	DESCRIPTION			REMARI	<u>.</u>
		<neon lamp=""></neon>						<diode></diode>				
NL701	1-519-108-99	LAMP, NEON				D731 D732 D736	8-719-901-83	DIODE MTZJ-13 DIODE 1SS83 DIODE D1N20R				
		<transistor:< td=""><td>></td><td></td><td></td><td>D737</td><td></td><td>DIODE MTZJ-13</td><td></td><td></td><td></td><td></td></transistor:<>	>			D737		DIODE MTZJ-13				
Q701	8-729-119-76	TRANSISTOR 2	SA1175-HI	Œ				<ic></ic>				
		<resistor></resistor>				IC731	8-759-346-42	IC TDA6101Q/N	3			
R701 R702	1-215-411-00 1-215-414-00		390 510	1% 1%	1/4W 1/4W			<coil></coil>				
R704 R706 R707	1-202-847-00 1-249-407-11 1-215-423-00	SOLID CARBON	560K 150 1 2K	20% 5% 1%	1/2W 1/4W 1/4W	L731	1-408-429-00	INDUCTOR 470	UH			
R708	1-202-883-11		680K	20%	1/2W			<neon lamp=""></neon>				
R709 R710 R711	1-215-437-00 1-215-427-00 1-215-427-00	METAL	4 7K 1 8K 1 8K	1% 1% 1% 5%	1/4W 1/4W 1/4W 2W F	NL731	1-519-108-99	LAMP, NEON				
R712	1-202-818-00		1K	20%	2W F			<resistor></resistor>				
R713 R714 R715 R716 R718	1-202-818-00 1-202-818-00 1-249-436-11 1-249-437-11 1-249-417-11	SOLID CARBON CARBON	1K 1K 39K 47K 1K	20% 5% 5% 5%	1/2W 1/2W 1/4W 1/4W 1/4W	R731 R733 R734 R735 R736	1-202-847-00 1-202-883-11 1-202-818-00 1-249-407-11 1-249-441-11	SOLID SOLID CARBON	560K 680K 1K 150 100K	20% 20% 20% 5% 5%	1/2W 1/2W 1/2W 1/4W 1/4W	
R719 R720	1-247-807-31 1-249-437-11		100 47K	5% 5%	1/4W 1/4W	R737	1-202-818-00		1K	20%	1/2W	
R721 R722	1-249-437-11 1-202-549-00 1-202-549-00	SOLID	100 100	20% 20%	1/2W 1/2W	R738 R739 R740	1-202-549-00 1-215-420-00 1-215-427-00	SOLID METAL METAL	100 910 1 8 K	20% 1% 1%	1/2W 1/4W 1/4W	
		<spark gap=""></spark>				R741	1-249-437-11		47K	5%	1/4W	177
SG701		GAP, SPARK				R742	1-215-903-11	METAL OXIDE	780	5%	2W	F
SG702 SG703		GAP, SPARK GAP, SPARK						<spark gap=""></spark>				
*****	*******	*********	******	*****	*****	SG731 SG732 SG733	1-519-422-11	GAP, SPARK GAP, SPARK GAP, SPARK				
	* A-1331-499-	A CG BOARD, C	OMPLETE	} *		***		*******	· 14: 14: 14: 14: 14: 14: 14: 14: 14: 14:	e sale sale sale sale sale sale sa	de sde sde sde sde sde s	ske ske ske
						1					and the she she she she she she	p ar ar
		<capacitor></capacitor>					* A-1331-300-A	A CB BOARD, C	OMPLE1E	5		
C731 C732	1-161-754-00 1-107-662-11		0 001MF 22MF	10% 20%	2KV 250V	# # 1 1						
C733 C736	1-102-050-00 1-126-964-11	CERAMIC	0 01MF 10MF	20%	500V 50V	6 8 8		<capacitor></capacitor>				
C738	1-107-651-11		4 7MF	20%	250V	C761 C762	1-161-754-00 1-107-662-11		0 001MF 22MF	10% 20%	2KV 250V	
C739 C740	1-102-965-00 1-126-964-11		39PF 10MF	5% 20%	50V 50V	C763 C766	1-102-050-00 1-107-651-11	CERAMIC	0.01MF 4.7MF	20%	500V 250V	
C741 C742	1-102-157-00 1-162-115-00	CERAMIC	560PF 330PF	10% 10%	500V 2KV	C769	1-102-965-00		39PF	5%	50V	
C743	1-101-005-00		0 022MF	10,0	50V	C770 C771	1-126-964-11 1-102-157-00		10MF 560PF	20% 10%	50V 500V	
C744	1-102-050-00	CERAMIC	0 01MF		500V	C772 C773 C774	1-162-115-00 1-101-005-00 1-102-050-00	CERAMIC CERAMIC	330PF 0 022MF 0 01MF	10%	2KV 50V 500V	
		<connector:< td=""><td>></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></connector:<>	>									
CN731 CN732 CN733 CN734 CN735	* 1-564-512-11 * 1-564-512-11 * 1-564-511-11	PIN, CONNECT PLUG, CONNECT PLUG, CONNECT PLUG, CONNECT PLUG, CONNECT	CTOR 9P CTOR 9P CTOR 8P	PITCH) 1	P	CN761 CN762 CN763 CN766	* 1-564-512-11 * 1-564-509-11 1-695-915-11	CONNECTOR: PIN, CONNECT PLUG, CONNECT PLUG, CONNECT TAB (CONTACT	OR (5mm F CTOR 9P CTOR 6P F)	,	IP	
CN736 CN738		TAB (CONTAC SOCKET, PICT				CN768	A 1-251-179-11	SOCKET, PICTI	JRE TUBE			
						0 0 1 1 1		<diode></diode>				
						D761	9 710 021 96	DIODE MTZI 1	2			

8-719-921-86 DIODE MTZJ-13



Les composants identifies par une trame et une marque Λ sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie

The componants identified by shading and mark $ilde{\Lambda}$ are critical for safety Replace only with part number specified

								piece portant ic n	umoro specilio	specified		
REF NO	PART NO	DESCRIPTION]	REMARK		REF NO	PART NO	DESCRIPTION			REMARK
D762 D763		DIODE 1SS83 DIODE 1SS133T-	-77	•			C825	1-162-318-11	CERAMIC	0 001MF	10%	500V
D764 D765		DIODE MTZJ-13 DIODE MTZJ-13					C826 C827	1-130-467-00 1-107-651-11		470PF 4 7MF	5% 20%	. 50V 250V
							C828	1-111-036-11 1-137-420-11	ELECT	470MF 0 047MF	20% 10%	16V 100V
D768 D769		DIODE D1N20R DIODE MTZJ-13					C830 C831	1-126-934-11		220MF	20%	16V
							C832	1-126-967-11	ELECT	47MF	20%	50V
		<ic></ic>					C901 C902	1-163-251-11 1-137-370-11	CERAMIC CHIP FILM	100PF 0 01MF	5% 5%	50V 50V
IC761	8-759-346-42	IC TDA6101Q/N	3				C903 C904	1-137-431-11 1-137-358-11		560PF 0 0001MF	5% 5%	50V 50V
		<coil></coil>					C905	1-104-665-11		100MF	20%	25V
1.7/1	1 400 400 00		111				C906 C907	1-137-370-11	FILM	0 01MF 100MF	5% 20%	50V 25V
L761	1-408-429-00	INDUCTOR 4701	ЭН				C908	1-104-665-11 1-137-361-11	FILM	330PF	5%	50V
		<neon lamp=""></neon>					C909	1-124-903-11		1MF	20%	50V
NL760	1-519-108-99	LAMP, NEON					C911 C912	1-163-251-11 1-124-903-11	CERAMIC CHIP ELECT	100PF 1MF	5% 20%	50V 50V
		,					C913 C915	1-124-903-11	ELECT CERAMIC CHIP	1MF 33PF	20% 5%	50V 50V
		<resistor></resistor>					C916	1-126-963-11		4 7MF	20%	50V
R761	1-202-847-00		560K	20%	1/2W		C917	1-126-964-11		10MF 0.001MF	20% 5%	50V 50V
R763 R764	1-202-883-11 1-202-818-00	SOLID	680K 1K	20% 20%	1/2W 1/2W		C918 C919	1-137-364-11 1-126-964-11	ELECT	10MF	20%	50V
R767 R768	1-202-818-00 1-202-549-00		1K 100	20% 20%	1/2W 1/2W		C920 C921	1-124-902-00 1-126-964-11		0 47MF 10MF	20% 20%	50V 50V
R769	1-215-421-00	METAL	1K	1%	1/4W		C923	1-126-964-11	ELECT	10MF	20%	50V
R770 R771	1-249-426-11 1-215-427-00		5 6K 1 8K	5% 1%	1/4W 1/4W		C924 C925	1-126-935-11 1-137-372-11		470MF 0 022MF	20% 5%	16V 50V
R773 R774		METAL OXIDE		5% 5%	2W 1/4W	F	C926 C927	1-104-665-11 1-137-364-11	ELECT	100MF 0 001MF	20% 5%	25V 50V
R775	1-202-549-00		100	20%	1/2W		C929	1-137-416-11		0 01MF	10%	100V
K//3	1-202-349-00	SOLID	100	2070	1/2 **		C930	1-137-364-11	FILM	0 001MF	5%	50V 50V
		<spark gap=""></spark>					C931 C932	1-126-967-11 1-124-903-11	ELECT	47MF 1MF	20% 20%	50V
SG761	1-519-422-11	GAP, SPARK					C934	1-137-370-11		0 01MF	5%	50V
SG762 SG763		GAP, SPARK GAP, SPARK					C935 C936	1-137-399-11 1-126-964-11		0 1MF 10MF	10% 20%	100V 50V
							C937 C938	1-126-964-11 1-126-935-11		10MF 470MF	20% 20%	50V 16V
******	*****	*****	*****	******	******	**	C939	1-126-964-11	ELECT	10MF	20%	50V
	* A 12/1 005 A	A E BOARD, CO	ADI ETE				C940 C941	1-104-664-11 1-126-964-11		47MF 10MF	20% 20%	25V 50V
	A-1341-003-2	*********					C942	1-104-664-11	ELECT	47MF	20%	25V
		SCREW (M3X10					C943 C944	1-126-965-11 1-126-964-11		22MF 10MF	20% 20%	50V 50V
	7-322-065-19	RUBBER, SILIC	UN RTV (K	(E490W)		C945	1-126-964-11		10MF	20%	50V
		<capacitor></capacitor>					C946 C947	1-124-925-11 1-104-665-11		2 2MF 100MF	20% 20%	50V 25V
C801	1-110-626-11	ELECT	330MF	20%	160V		C948 C949	1-104-665-11 1-126-964-11		100MF 10MF	20% 20%	25V 50V
C802 C803		CERAMIC CHIP		5% 20%	50V 160V		C950	1-126-964-11		10MF	20%	50V
C805	1-136-173-00	FILM	0 47MF	5%	50V		C951	1-109-889-11 1-126-964-11	ELECT	1MF 10MF	20% 20%	50V 50V
C806	1-102-030-00		330PF	10%	500V		C955 C980	1-137-368-11		0 0047MF		50V
C807 C808	1-106-387-00 1-107-636-11	ELECT	0 068MF 10MF	10% 20%	200V 160V							
C809 C810	1-104-664-11 1-130-481-00		47MF 0 0068MF	20%	25V 50V				<chip conduc<="" td=""><td>CTOR></td><td></td><td></td></chip>	CTOR>		
C811	1-137-475-11	FILM	2 2MF	10%	250V		CJ901 CJ902		CONDUCTOR,			
C812 C813	1-126-965-11 1-162-318-11		22MF 0 001MF	20% 10%	50V 500V		CJ903 CJ904	1-216-295-91	CONDUCTOR, CONDUCTOR,	CHIP		
C814	1-126-968-11	ELECT	100MF	20%	50V		23904	1-210-275-71	CONDUCTOR,	CIIII		
C815 C818	1-162-114-00 九1-109-833-11		0.0047MF 0.0145MF		2KV 2.5KV				<connector:< td=""><td>></td><td></td><td></td></connector:<>	>		
C819	1-130-489-00		0 033MF	5%	50V		CN802		PLUG, CONNEC			
C820 C823	1-124-902-00 1-136-601-11		0 47MF 0 01MF	20% 5%	50V 630V		CN805 CN827	* 1-573-963-11	TAB (CONTACT PIN, CONNECT	OR (PC BO	ARD)	3P
C824	1-126-964-11		10MF	20%	50V		CN851	* 1-564-509-11	PLUG, CONNEC	CTOR 6P		

The componants identified by shading and mark $ext{$\mathbb{A}$}$ are critical for safety. Replace only with part number specified.

Les composants identifies par une trame et une marque Λ sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie

 The components identified by
in this manual have been carefully factory-selected for each set in order to satisfy regulations regarding X-ray radiation. Should replacement be required, replace only with the value originally used.



		DC	s required,	replace only wi	ur ure value origin	idily dood.			
REF. NO	PART NO	DESCRIPTION REMARK	REF NO	PART NO	DESCRIPTION]	REMARK	<u>.</u>
CN881 CN882	* 1-691-135-11	PIN, CONNECTOR (PC BOARD) 5P PIN, CONNECTOR (PC BOARD) 4P	L803 L804 L901	1-411-286-11	COIL, AIR CORE COIL, CHOKE 22 INDUCTOR 39UI	20UH			
CN884 CN885 CN886	* 1-506-371-00	PIN, CONNECTOR (PC BOARD) 6P PIN, CONNECTOR 2P PIN, CONNECTOR 2P	L902	1-408-416-00	INDUCTOR 39UI	Н			
CN904		PLUG, CONNECTOR 4P			<neon lamp=""></neon>				
		<diode></diode>	NL802	1-519-108-99	LAMP, NEON				
D801 D802 D803	8-719-404-46	DIODE RD5 1ESB2 DIODE MA110 DIODE ERC38-06	8 8 8 8 8 8		<transistor></transistor>				
D804 D805	8-719-908-03	DIODE GP08D DIODE ERC06-15S	Q801 Q802	8-729-119-80	TRANSISTOR 2S TRANSISTOR 2S	C2688-LK			
D806 D807 D808	8-719-945-80	DIODE ISS133T-77 DIODE ERC06-15S DIODE D8LC40	Q803 Q806 Q807	8-729-805-07	TRANSISTOR 2S TRANSISTOR 2S TRANSISTOR 2S	D1887-CA			
D809 D810		DIODE ISS133T-77 DIODE ERC06-15S	Q808 Q809 Q810	8-729-823-81	TRANSISTOR IR TRANSISTOR 2S TRANSISTOR 2S	C4632LS-C	СВ7		
D811 D812 D814	8-719-404-46	DIODE EGP20G-PKG23 DIODE MA110 DIODE ERC91-02	Q811 Q813	8-729-823-81	TRANSISTOR 2S TRANSISTOR 2S	C4632LS-C	CB7		
D816 D817	8-719-404-46	DIODE MA110 DIODE MA110	Q901 Q902 Q903	8-729-140-93	TRANSISTOR 2S TRANSISTOR 2S TRANSISTOR 2S	B733-34			
D818 D819 D901	8-719-105-82	DIODE MA110 DIODE RD5.1M-B2 DIODE MA110	Q904 Q905	8-729-422-27	TRANSISTOR 25 TRANSISTOR 25 TRANSISTOR 25	SD601A-Q			
D901 D902 D904	8-719-404-46	DIODE MA110 DIODE MA110	Q906 Q907 Q908	8-729-231-55	TRANSISTOR 25 TRANSISTOR 25 TRANSISTOR 25	C2878-AB			
D905 D907 D908	8-719-404-46	DIODE MA110 DIODE MA110 DIODE RD5 1M-B2	Q909 Q910	8-729-422-27	TRANSISTOR 2S TRANSISTOR 2S	SD601A-Q			
D909 D911	8-719-302-43	DIODE EL1Z DIODE RD5 1M-B2	Q911 Q912 Q913	8-729-216-22	TRANSISTOR 25 TRANSISTOR 25 TRANSISTOR D	SA1162-G			
D912 D913 D914 D915	8-719-404-46 8-719-404-46 8-719-404-46	DIODE RD5 1M-B2 DIODE MA110 DIODE MA110 DIODE MA110	Q914 Q915	8-729-422-27	TRANSISTOR 2S	SD601A-Q			
D916 D917		DIODE RD3 9M-B1 DIODE MA110	R800		<resistor> METAL CHIP</resistor>		0.50%	1/10W	
D918 D919 D920 D921	8-719-106-81 8-759-157-40	DIODE MA110 DIODE RD13M-B3 IC uPC574J DIODE RD13M-B3	R801 R802 R804 R805	1-249-421-11 1-249-425-11		2 2K 4 7K	5% 5% 5% 5%	1/10W 1/4W 1/4W 1W	F F
D922 D923		DIODE MA110 DIODE MA110	R806 R807	1-249-431-11 1-260-325-11		15K 560	5% 5%	1/4W 1/2W	F
D924 D925 D926	8-719-404-46 8-719-028-00	DIODE MA110 DIODE MA3033-L DIODE MA110	R808	↑ 249-427-11	CARBON CARBON	6 8K	5%	1/4W 1/4W 1/4W	F
D927	8-719-401-32	DIODE MA3047M-TX	R811 R812 R813	1-216-395-00	METAL GLAZE METAL OXIDE METAL OXIDE	3 3	5% 5% 5%	1/10W 3W 3W	F F
		<ferrite bead=""></ferrite>	R814 R816	1-215-919-11	METAL OXIDE METAL GLAZE	2 2K	5% 5%	3W 1/10W	F
FB001	1-410-396-41	FERRITE BEAD INDUCTOR 0 45UH	R817 R818	1-216-395-00 1-249-405-11	METAL OXIDE	3 3 100	5% 5%	3W 1/4W	F
		<ic></ic>	R819 R820	1-216-089-91 1-215-905-11	METAL GLAZE METAL OXIDE	47 K 10	5% 5%	1/10W 3W	
IC901 IC902 IC903 IC904	8-759-133-90 8-759-711-28	IC uPC339C IC uPC339C IC NJM2058D	R821 R822 R823	1-215-928-11	METAL GLAZE METAL GLAZE	68K	5% 5% 5%	1/10W 3W 1/10W	F
IC905 IC906	8-759-929-65	IC M5218AP IC LM7912CT IC MCT7812CT	R825 R826 R830	1-215-928-11 1-216-033-00	METAL OXIDE METAL GLAZE METAL OXIDE	68K 220	5% 5% 5%	3W 1/10W 3W	F
12.00	217 10	<coil></coil>	R831 R832	1-215-919-11	METAL OXIDE METAL GLAZE	2.2K	5% 5%	3W 1/10W	F
L801		COIL, CHOKE 100UH	R836 R837	1-202-818-00 1-215-870-11	SOLID METAL OXIDE	1K 1.5K	20% 5%	1/2W 1W	F
L802	1-400-665-11	COIL, CHOKE 100UH	R838	1-247-807-31	CAKBUN	100	5%	1/4W	





 The components identified by
 M in this manual have been carefully factory-selected for each set in order to satisfy regulations regarding X-ray radiation. Should replacement be required, replace only with the value originally used. Les composants identifies par une trame et une marque A sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie The componants identified by shading and mark ∆ are critical for safety

Replace only with part number specified

REF NO	PART NO	DESCRIPTION	,	R	EMARK	REF NO	PART NO	DESCRIPTION		R	EMARK
R839	1-249-429-11		10K	5%	1/4W F	R955	1-214-769-00	METAL	47K	1%	1/4W
R841		METAL OXIDE		5%	3W F		1 000 007 11	METAL CHID	1017	0.500	1/1033/
R843 R844	1-202-549-00	METAL OXIDE	100 56K	20% 5%	1/2W 3W F	R956 R957		METAL CHIP METAL CHIP	10K 120K	0 50% 0 50%	1/10W 1/10W
R846	1-202-838-00		100K	20%	1/2W	R958		METAL CHIP	150K	0 50%	1/10W
						R959	1-214-757-00		15K	1%	1/4W
R847		METAL GLAZE		5%	1/10W	R960	1-216-077-00	METAL GLAZE	15K	5%	1/10W
R849 R850	1-247-863-91 1-216-081-00	METAL GLAZE	22K 22K	5% 5%	1/4W 1/10W	R962	1-208-806-11	METAL CHIP	10K	0 50%	1/10W
R851	1-216-667-11	METAL CHIP	47K	0 50%	1/10W	R963	1-214-749-00	METAL	6 8K	1%	1/4W
R852	1-208-806-11	METAL CHIP	10 K	0 50%	1/10W	R964	1-214-757-00		15K	1% 5%	1/4W 1/10W
R854	1-249-447-11	CARROÑ	1	5%	1/4W F	R965 R966	1-214-757-00	METAL GLAZE METAL	15K	3% 1%	1/10W 1/4W
R855		METAL CHIP	47K	0 50%	1/10W	1					
R856		METAL CHIP	47K	0.50%	1/10W	R967		METAL GLAZE		5%	1/10W
R857 R858		METAL CHIP METAL CHIP	100K 15K	0 50% 0 50%	1/10W 1/10W	R968 R969	1-214-751-00 1-214-731-00		8 2K 1 2K	1% 1%	1/4W 1/4W
K656	1-200-010-11	WEI AL CIII	1314	0 30 10	1/10**	R970	1-214-757-00		15K	1%	1/4W
R865		METAL OXIDE		5%	1W F	R971	1-216-121-91	METAL GLAZE	1 M	5%	1/10W
R866 R883		FUSE, MICRO (S METAL GLAZE		RY) 3 15. 5%	A/125V 1/10W	R972	1 216 600 11	METAL CHIP	100K	0 50%	1/10W
R888		METAL GLAZE		5%	1/10W 1/10W	R972		METAL GLAZE		5%	1/10W
R901		METAL GLAZE		5%	1/10W	R974	1-216-699-11	METAL CHIP	100K	0 50%	1/10W
2000	1 216 065 00	1 TTT 1 1 CT 1 TT	4.037	5 CM	4 (4 033)	R975		METAL GLAZE		5%	1/10W
R902 R903		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W	R976	1-216-041-00	METAL GLAZE	4/0	5%	1/10W
R904		METAL GLAZE		5%	1/10W	R977	1-216-075-00	METAL GLAZE	12K	5%	1/10W
R905	1-247-739-11	CARBON	100	5%	1/2W F			METAL GLAZE		5%	1/10W
R906	1-247-739-11	CARBON	100	5%	1/2W F	R979 R980		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W
R907	1-216-091-00	METAL GLAZE	56K	5%	1/10W	R981		METAL GLAZE		5%	1/10W
R908	1-216-085-00	METAL GLAZE	33K	5%	1/10W						
R909		METAL GLAZE		5%	1/10W	R982	COLUMN TO THE PROPERTY AND THE PROPERTY	METAL CHIP	6.8K	0.50%	1/10W 1/4W
R910 R911		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W	R983 R984	∆ 1-216-083-00	METAL GLAZE METAL GLAZE		5%	1/10W
KJII	1-210-057-00	METAL GLAZE	2 /10	570	1/10**	R985			18K	0 50%	1/10W
R912		METAL GLAZE		5%	1/10W	R986	1-216-049-91	METAL GLAZE	1K	5%	1/10W
R913 R914		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W	R987	1-216-059-00	METAL GLAZE	2 7K	5%	1/10W
R915		METAL GLAZE		5%	1/10W		A	METAL GLAZE		570	1/4W
R916		METAL GLAZE		5%	1/10W	R989		METAL OXIDE		5%	2W F
B017	1 216 057 00	METAL CLAZE	2.21/	5%	1/10W	R990 R991		METAL OXIDE METAL CHIP	6 8K 6 2K	5% 0 50%	2W F 1/10W
R917 R918		METAL GLAZE METAL GLAZE		5%	1/10W	K991	1-200-001-11	METAL CHIP	UZK	0 30%	1/10**
R919	1-216-077-00	METAL GLAZE	15K	5%	1/10W	R992	1-249-431-11		15K	5%	1/4W
R920		METAL GLAZE		5%	1/10W	R993	1-249-431-11 1-247-807-31		15K	5% 5%	1/4W 1/4W
R921	1-216-059-00	METAL GLAZE	2 /K	5%	1/10W	R994 R995		METAL CHIP	100 12K	0 50%	1/10W
R922	1-216-073-00	METAL GLAZE	10 K	5%	1/10W	R996		METAL CHIP	22K	0 50%	1/10W
R923		METAL GLAZE		5%	1/10W	D007	1 216 065 00	METAL GLAZE	4 7 V	5%	1/10W
R924 R926		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W	R997 R998		METAL GLAZE		5%	1/10W
R927	1-249-377-11		0 47	5%	1/4W F			METAL GLAZE		5%	1/10W
Dogg	1 01/ 0/7 00	METAL CLASE	5 (3)	5.01	1/10337						
R928 R929		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W			<spark gap=""></spark>			
R930		METAL GLAZE		5%	1/10W						
R931		METAL GLAZE		5%	1/10W	SG801	1-519-422-11	GAP, SPARK			
R932	1-216-059-00	METAL GLAZE	27K	5%	1/10W						
R933	1-216-081-00	METAL GLAZE	22K	5%	1/10W			<transforme< td=""><td>ER></td><td></td><td></td></transforme<>	ER>		
R934		METAL GLAZE		5%	1/10W					****	
R935 R936		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W	T801	∆ 1-453-189-11	TRANSFORME	CASSY, FL		2631//A4S)
R937		METAL GLAZE		5%	1/10W	T802	1-437-209-11	TRANSFORME	R, HORIZO		
								TRANSFORME			
R938		METAL CHIP	15K	0 50%	1/10W						
R939 R940		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W						
R941		METAL GLAZE		5%	1/10W	******	******	******	******	*****	*****
R942	1-216-049-91	METAL GLAZE	1K	5%	1/10W		* A 1246 206 4	D BOADD CO	MDI ETE		
R943	1-249-377-11	CARBON	0 47	5%	1/4W I		- A-1340-290-F	A D BOARD, CO			
R944	1-216-689-11	METAL GLAZE	39K	5%	1/10W	İ					
R945		METAL GLAZE		5%	1/10W	İ		SCREW (M3X10		-)	
R946 R947		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W		7-082-052-09	SCREW +PSW 3	V10		
11.747	1-210-025-71	WILLIAM OFWER	100	3 10	1/10**						
R948		METAL GLAZE		5%	1/10W			<capacitor></capacitor>			
R950 R952		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W	C1502	1-126-943-11	ELECT	2200MF	20%	25V
R952 R954	1-214-777-00		100K	3% 1%	1/10W 1/4W	C1502		CERAMIC CHIE		10%	50V
				•		1					



DEE NO	PART NO.	DESCRIPTION			REMARK	REF NO.	PART NO	DESCRIPTION			REMARK
REF. NO.			22221 45	000					0.04 7M E	100%	
C1504 C1505 C1506	1-126-943-11 1-136-177-00 1-102-228-00	FILM	2200MF 1MF 470PF	20% 5% 10%	25V 50V 500V	C1834 C1835 C1836 C1837	1-163-809-11 1-163-809-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	0 047MF 0 047MF	10% 10% 10% 10%	25V 25V 25V 16V
C1507 C1508 C1509 C1510 C1511		FILM		10% 5% 20% 10% 10%	50V 50V 50V 100V 100V	C1838 C1839 C1840 C1841	1-126-968-11 1-126-968-11 1-124-903-11 1-126-967-11	ELECT ELECT	100MF 100MF 1MF 47MF	20% 20% 20% 20% 5%	50V 50V 50V 50V
C1512 C1513 C1514 C1515 C1516	1-163-031-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	0 01MF	10% 5% 5%	100V 50V 50V 50V 50V	C1842 C1843 C1844 C1845 C1846	1-163-251-11 1-126-967-11 1-163-809-11	CERAMIC CHIP	100PF 47MF 0 047MF	5% 5% 20% 10% 10%	50V 50V 50V 25V 25V
C1517 C1551 C1603	1-163-125-00 1-126-964-11	CERAMIC CHIP	220PF 10MF	5% 20% 5%	50V 50V 50V	C1847 C1848 C1849		CERAMIC CHIP CERAMIC CHIP ELECT	0.047MF 100MF	10% 10% 20%	25V 25V 50V
C1604 C1605 C1606	1-163-251-11	CERAMIC CHIP CERAMIC CHIP	100PF	5% 5%	50V 50V 50V	C1850 C1851 C1852 C1853	1-126-968-11 1-137-399-11 1-126-968-11 1-137-378-11	FILM ELECT	100MF 0 1MF 100MF 0 22MF	20% 5% 20% 5%	50V 50V 50V 50V
C1607 C1608 C1611 C1612				5% 5% 20% 20%	50V 50V 50V 25V	C1854 C1855 C1856 C1857	1-126-963-11 1-124-903-11 1-104-665-11 1-126-968-11	ELECT ELECT ELECT	4 7MF 1MF 100MF 100MF	20% 20% 20% 20%	50V 50V 25V 50V
C1613 C1615 C1617 C1619 C1620	1-126-968-11 1-104-665-11 1-126-941-11 1-104-665-11 1-126-941-11	ELECT ELECT ELECT	100MF 100MF 470MF 100MF 470MF	20% 20% 20% 20% 20%	50V 25V 25V 25V 25V	C1858 C1859 C1860 C1861	1-163-809-11 1-163-809-11 1-126-968-11		0 047MF 0.047MF 100MF	10% 10% 10% 20%	25V 25V 25V 50V
C1622 C1701 C1702 C1703 C1704	1-163-099-00		18PF	20% 20% 10% 5% 5%	25V 16V 25V 50V 50V	C1862 C1863 C1864 C1865 C1866	1-124-903-11 1-136-173-00 1-124-903-11 1-124-903-11 1-126-967-11	FILM ELECT ELECT	1MF 0 47MF 1MF 1MF 47MF	20% 5% 20% 20% 20%	50V 50V 50V 50V 50V
C1705 C1709 C1723 C1724	1-163-099-00 1-163-031-11 1-163-251-11 1-163-251-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	18PF 0 01MF 100PF 100PF	5% 5% 5%	50V 50V 50V 50V	CJ1	1-216-295-91	<chip conduc<="" td=""><td>CTOR></td><td></td><td></td></chip>	CTOR>		
C1801 C1802 C1803 C1805	1-124-903-11 1-126-964-11 1-163-809-11 1-163-809-11		1MF 10MF 0 047MF 0 047MF	20% 20% 10% 10%	50V 50V 25V 25V	CJ2 CJ3 CJ4 CJ5	1-216-295-91 1-216-295-91	CONDUCTOR, C CONDUCTOR, C CONDUCTOR, C CONDUCTOR, C	CHIP CHIP		
C1806 C1807 C1808	1-163-809-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	0.047MF	5% 10% 10%	50V 25V 25V	CJ6 CJ7 CJ8 CJ9	1-216-295-91 1-216-295-91 1-216-295-91	CONDUCTOR, C CONDUCTOR, C CONDUCTOR, C	CHIP CHIP CHIP		
C1809 C1810 C1811 C1812				20% 20% 10% 10%	16V 16V 25V 25V	CJ10 CJ11 CJ12	1-216-295-91 1-216-295-91	CONDUCTOR, C	CHIP CHIP		
C1813 C1814 C1816 C1817	1-163-809-11 1-163-251-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	0 047MF 100PF	5% 10% 5% 5%	50V 25V 50V 50V	CJ13 CJ14 CJ15	1-216-295-91 1-216-295-91	CONDUCTOR, C CONDUCTOR, C CONDUCTOR, C	CHIP		
C1818 C1819 C1820	1-163-809-11 1-126-933-11	CERAMIC CHIP	0 047MF 100MF	10% 20% 10%	25V 16V 50V	CJ17 CJ18 CJ19 CJ20	1-216-295-91 1-216-295-91 1-216-295-91	CONDUCTOR, C CONDUCTOR, C CONDUCTOR, C CONDUCTOR, C	CHIP CHIP CHIP		
C1821 C1822 C1823	1-124-902-00	ELECT CERAMIC CHIP	0 47MF	20% 10% 20%	50V 50V 50V	CJ21 CJ22 CJ23	1-216-295-91 1-216-295-91	CONDUCTOR, C CONDUCTOR, C CONDUCTOR, C	CHIP CHIP		
C1824 C1825 C1826 C1827	1-124-903-11 1-126-967-11 1-126-967-11 1-163-809-11	ELECT	1MF 47MF 47MF 0 047MF	20% 20% 20% 10%	50V 50V 50V 25V	CJ24 CJ25 CJ26	1-216-295-91 1-216-295-91	CONDUCTOR, CONDUCTOR,	CHIP CHIP		
C1828 C1829 C1830	1-163-809-11 1-163-809-11	CERAMIC CHIE CERAMIC CHIE CERAMIC CHIE	0 047MF 0 047MF	10% 10% 10%	25V 25V 25V 25V	CJ27 CJ28 CJ29 CJ30	1-216-295-91 1-216-295-91 1-216-295-91	CONDUCTOR, CONDUCTOR,	CHIP CHIP CHIP		
C1831 C1832 C1833	1-104-661-91 1-104-661-91	ELECT	330MF 330MF	20% 20%	16V 16V 25V	CJ31 CJ32 CJ33	1-216-295-91 1-216-295-91	CONDUCTOR, CONDUCTOR,	CHIP CHIP		

D

Les composants identifies par une trame et une marque \(\Lambda\) sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie.

The componants identified by shading and mark A are critical for safety
Replace only with part number specified

REF. NO	PART NO	DESCRIPTION	REMARK	REF NO	PART NO	DESCRIPTION		R	EMARK
CJ34 CJ35		CONDUCTOR, CHIP CONDUCTOR, CHIP		D1949 D1951		DIODE MTZJ-T- DIODE MTZJ-13			
CJ36 CJ37 CJ38 CJ39 CJ40	1-216-295-91 1-216-295-91 1-216-295-91	CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP		D1953 D1954		DIODE MTZJ-13 DIODE MTZJ-13 <fuse></fuse>			
CJ42 CJ43 CJ44 CJ45 CJ46	1-216-295-91 1-216-295-91 1-216-295-91	CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP			1-533-223-11 1-532-745-11	FUSE, GLASS TO CLIP, FUSE; FIG FUSE, GLASS TO CLIP, FUSE; FIG	601 UBE 3.15A/		
CJ47 CJ48 CJ49 CJ50 CJ51	1-216-295-91 1-216-295-91 1-216-295-91	CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP		IC1501 IC1601 IC1602 IC1701	8-749-010-88	<ic> IC STV9379 IC STK392-010 IC STK392-010 IC CXP85112B-6</ic>	(125		
CJ52 CJ53 CJ54 CJ56 CJ57	1-216-295-91 1-216-295-91 1-216-295-91 1-216-295-91	CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP		IC1701 IC1702 IC1801 IC1802 IC1803 IC1803 IC1804	8-759-041-54 8-759-327-52 8-759-327-51 8-759-012-67	IC MN1382S IC PM0002B IC PA0053B IC MC7905CT IC LM7905CT	133		
CJ59 CJ60 CJ62 CJ63	1-216-295-91 1-216-295-91 1-216-295-91	CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP		IC1804 IC1805 IC1806 IC1807 IC1807	8-759-231-53 8-759-327-52 8-759-327-51 8-759-929-65	IC TA7805S IC PM0002B			
CN1513 CN1612 CN1642	* 1-564-506-11 * 1-564-507-11 * 1-564-507-11	CONNECTOR> PLUG, CONNECTOR 3P PLUG, CONNECTOR 3P PLUG, CONNECTOR 4P PLUG, CONNECTOR 4P PLUG, CONNECTOR 4P		IC1808 IC1808 IC1809 IC1931 IC1932	8-759-231-58 8-759-327-52 8-759-711-28	IC MCT7812CT IC TA7812S IC PM0002B IC NJM2058D IC NJM2058D			
CN1756	* 1-564-508-11	PLUG, CONNECTOR 4P PLUG, CONNECTOR 5P				<coil></coil>			
CN1757	* 1-564-516-11	PLUG, CONNECTOR 13P <diode></diode>		L1501 L1502 L1503 L1515 L1516	1-412-533-21 1-412-524-11 1-410-470-11	INDUCTOR 47U INDUCTOR 47U INDUCTOR 8 2U INDUCTOR 10U INDUCTOR 100	H JH IH		
D1501 D1502 D1503 D1505 D1551	8-719-109-89 8-719-971-20 8-719-109-89	B DIODE GP08D DIODE RD5 6ESB2 DIODE ERC38-06 DIODE RD5 6ESB2 DIODE MTZJ-T-77-3 9		L1701 L1801 L1802	1-406-975-21	INDUCTOR 10U COIL, CHOKE 4 COIL, CHOKE 4	7UH		
D1552 D1553		B DIODE 1SS133T-77 B DIODE 1SS133T-77				<transistor< td=""><td>></td><td></td><td></td></transistor<>	>		
D1601 D1602 D1603	8-719-908-03 8-719-908-03 8-719-908-03	B DIODE GP08D B DIODE GP08D B DIODE GP08D		Q1501 Q1502 Q1551 Q1552	8-729-422-27 8-729-216-22 8-729-422-27	TRANSISTOR 2: TRANSISTOR 2: TRANSISTOR 2: TRANSISTOR 2:	SD601A-Q SA1162-G SD601A-Q		
D1604 D1803 D1812 D1814 D1825	8-719-991-33 8-719-991-33 8-719-991-33	B DIODE GP08D B DIODE 1SS133T-77 B DIODE 1SS133T-77 B DIODE 1SS133T-77 B DIODE 1SS133T-77		Q1701 Q1801 Q1802 Q1803 Q1804	8-729-422-27 8-729-216-22 8-729-029-86	TRANSISTOR 2: TRANSISTOR 2: TRANSISTOR D TRANSISTOR D TRANSISTOR 2:	SD601A-Q SA1162-G OTC124ESA		
D1826 D1827 D1931 D1932 D1934	8-719-982-03 8-719-924-16 8-719-924-16	B DIODE ISS133T-77 B DIODE MTZJ-3 6A DIODE MTZJ-T-77-24 DIODE MTZJ-T-77-24 DIODE MTZJ-T-77-24		Q1805		TRANSISTOR D <resistor></resistor>			
D1935 D1936 D1937 D1942 D1945	8-719-924-16 8-719-924-16 8-719-924-16 8-719-924-16	5 DIODE MTZJ-T-77-24 5 DIODE MTZJ-T-77-24 5 DIODE MTZJ-T-77-24 6 DIODE MTZJ-T-77-24 5 DIODE MTZJ-T-77-24		R1501 R1502 R1504 R1505 R1506	1-208-814-11 1-216-081-00 1-216-085-00	METAL GLAZE METAL CHIP METAL GLAZE METAL GLAZE METAL GLAZE	22K 22K 33K	5% 0 50% 5% 5% 5%	1/10W 1/10W 1/10W 1/10W 1/10W
D1946 D1947 D1948	8-719-924-16 8-719-924-16	5 DIODE MTZJ-T-77-24 5 DIODE MTZJ-T-77-24 6 DIODE MTZJ-13		R1507 R1508 R1509 R1510			22K 2.2K 1.5 3.9	0 50% 5% 5% 1%	1/10W 1/10W 1/4W F 1/4W

The componants identified by shading and mark Λ are critical for safety
Replace only with part number specified

Les composants identifies par une trame et une marque \triangle sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie



REF. NO	PART NO	DESCRIPTION		R	EMARK	REF NO	PART NO	DESCRIPTION		R.	EMARK
R1511	1-214-671-11	METAL	39	1%	1/4W	R1803 R1804		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W
R1512 R1513	1-214-671-11		39	5% 1%	3W F 1/4W	R1805		METAL GLAZE		5%	1/10W
R1514 R1515	1-216-639-11	METAL CHIP	330	0 50%	1/10W 1/10W 1/4W	R1806 R1807 R1808	1-216-075-00	METAL GLAZE METAL GLAZE METAL GLAZE	12K	5% 5% 5%	1/10W 1/10W 1/10W
R1516 R1517	1-214-671-11	METAL CHIP		1% 0 50%	1/10W	R1809 R1810	1-216-081-00	METAL GLAZE METAL GLAZE	22K	5% 5%	1/10W 1/10W
R1518 R1519 A		METAL CHIP	3.9K	0.50% 5%	1/10W 1/4W F	R1811	1-216-081-00	METAL GLAZE	22K	5%	1/10W
R1520 A R1521	1-249-385-91 1-216-049-91	CARBON METAL GLAZE		5% 5%	1/4W F 1/10W	R1812 R1813	1-216-057-00	METAL GLAZE		5% 5% 0 50%	1/10W 1/10W 1/10W
R1522 R1523		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W	R1814 R1815		METAL CHIP METAL CHIP	82K		1/10W
R1551 R1552	1-216-081-00 1-216-063-91	METAL GLAZE METAL GLAZE	22K 3 9K	5% 5%	1/10W 1/10W	R1816 R1817	1-216-033-00	METAL GLAZE METAL GLAZE	220	5% 5%	1/10W 1/10W
R1553		METAL GLAZE		5%	1/10W	R1818 R1819	1-216-025-91	METAL GLAZE	100	5% 5% 5%	1/10W 1/10W 1/10W
R1554 R1559 R1562	1-216-073-00	METAL GLAZE METAL GLAZE METAL GLAZE	10K	5% 5% 5%	1/10W 1/10W 1/10W	R1820 R1821		METAL GLAZE		5%	1/10W
R1603 R1604	1-216-663-11	METAL CHIP METAL CHIP	3 3K	0 50% 0 50%	1/10W 1/10W	R1823 R1824	1-208-811-11	METAL CHIP METAL CHIP	16K 27K	0 50% 0 50%	1/10W 1/10W
R1605		METAL CHIP		0 50%	1/10W	R1825 R1826		METAL CHIP METAL CHIP	27K 27K	0 50% 0 50%	1/10W 1/10W
R1606 R1607 R1608	1-216-663-11	METAL CHIP METAL CHIP METAL CHIP	3 3K	0 50% 0 50% 0 50%	1/10W 1/10W 1/10W	R1827 R1828		METAL CHIP METAL CHIP	27K 27K	0.50% 0.50%	1/10W 1/10W
R1610	1-214-729-00			1%	1/4W	R1829 R1830	1-216-685-11	METAL CHIP METAL GLAZE	27K		1/10W 1/10W
R1612 R1613	1-214-729-00 1-214-673-00	METAL	1K 4.7	1% 1%	1/4W 1/4W	R1831		METAL GUID		5%	1/10W
R1615 R1616 R1618	1-214-673-00 1-214-673-00 1-214-673-00	METAL	47 47 47	1% 1% 1%	1/4W 1/4W 1/4W	R1832 R1833 R1834	1-216-049-91	METAL CHIP METAL GLAZE METAL GLAZE		0 50% 5% 5%	1/10W 1/10W 1/10W
R1619	1-214-673-00		47	1%	1/4W	R1835 R1836	1-216-025-91	METAL GLAZE METAL GLAZE	100	5% 5%	1/10W 1/10W
R1620 R1621	1-214-673-00 1-214-673-00	METAL	47	1% 1%	1/4W 1/4W	R1837		METAL CHIP	10K	0 50%	1/10W
R1622 R1623	1-214-673-00 1-214-729-00		4 7 1 K	1% 1%	1/4W 1/4W	R1838 R1839 R1840	1-216-031-00	METAL CHIP METAL GLAZE METAL CHIP	4 7K 180 10K	0 50% 5% 0 50%	1/10W 1/10W 1/10W
R1624 R1625	1-214-729-00 1-214-673-00		1K 47	1% 1%	1/4W 1/4W	R1841	1-208-806-11	METAL CHIP	10K	0 50%	1/10W
R1626 R1627	1-214-673-00 1-214-673-00	METAL	47	1% 1%	1/4W 1/4W	R1842 R1843	1-216-667-11	METAL GLAZE METAL CHIP	47K	5% 0 50%	1/10W 1/10W
R1628 R1629	1-214-673-00 1-214-673-00		47	1% 1%	1/4W 1/4W	R1844 R1845 R1846	1-216-077-00	METAL GLAZE METAL GLAZE METAL GLAZE	15K	5% 5% 5%	1/10W 1/10W 1/10W
R1630 R1631	1-214-673-00 1-214-673-00 1-214-729-00	METAL	47 1K	1% 1%	1/4W 1/4W	R1847	1-208-806-11	METAL CHIP	10K	0 50%	1/10W
R1632 R1633	1-214-673-00 1-214-673-00	METAL	47 47	1% 1%	1/4W 1/4W	R1848 R1849	1-216-067-00	METAL GLAZE METAL GLAZE	5 6K	5% 5%	1/10W 1/10W
R1634 R1635	1-214-729-00 1-214-673-00		1K 47	1% 1%	1/4W 1/4W	R1850 R1851		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W
R1636 R1637	1-214-673-00 1-214-673-00 1-214-673-00	METAL	47	1% 1%	1/4W 1/4W	R1852 R1853		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W
R1638	1-214-673-00		47	1%	1/4W	R1854 R1855	1-216-097-91	METAL GLAZE METAL GLAZE	100K	5% 5%	1/10W 1/10W
R1639 R1640 R1641	1-214-673-00 1-214-673-00 1-214-673-00	METAL	47 47 47	1% 1% 1%	1/4W 1/4W 1/4W	R1856 R1857		METAL GLAZE		5% 5%	1/10W 1/10W
R1642 R1717	1-214-673-00		47	1% 5%	1/4W 1/10W	R1858 R1859	1-216-097-91	METAL GLAZE METAL GLAZE	100K	5% 5%	1/10W 1/10W
R1721	1-216-033-00	METAL GLAZE	220	5%	1/10W	R1860 R1861		METAL GLAZE METAL OXIDE		5% 5%	1/10W 3W F
R1737 R1740 R1748	1-216-025-91	METAL GLAZE METAL GLAZE METAL GLAZE	100	5% 5% 5%	1/10W 1/10W 1/10W	R1862 R1863		METAL OXIDE METAL GLAZE		5% 5%	3W F 1/10W
R1749		CONDUCTOR, O		3 10	1/1044	R1864 R1865	1-216-025-91	METAL GLAZE METAL OXIDE	100	5% 5%	1/10W 3W F
R1751 R1752	1-216-073-00	METAL GLAZE METAL GLAZE	10K	5% 5%	1/10W 1/10W	R1866	1-216-473-11	METAL OXIDE	56	5%	3W F
R1753 R1760	1-216-295-91	CONDUCTOR, CONDUCTOR,	CHIP	0.500%	1/100/	R1868 R1869 R1870	1-216-685-11	METAL CHIP METAL CHIP	100 27K 27K	5% 0 50% 0 50%	1/10W 1/10W 1/10W
R1788 R1801		METAL CHIP METAL GLAZE	10K 1K	0 50% 5%	1/10W 1/10W	R1871 R1872	1-216-685-11	METAL CHIP METAL CHIP	27K 27K 27K	0 50% 0 50% 0 50%	1/10W 1/10W 1/10W
R1802		METAL GLAZE		5%	1/10W		10 000 11	VIIII		2 2 2 70	9



HA

Les composants identifies par une trame et une marque \(\Lambda \) sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie

The componants identified by shading and mark \triangle are critical for safety.
Replace only with part number specified

REF NO	PART NO	DESCRIPTION		R	EMARK ;	REF NO	PART NO	DESCRIPTION		R	EMARK
R1873		METAL CHIP	27K		1/10W	R1957	1-208-824-11	METAL CHIP	56K	0.50%	1/10W
R1874 R1875 R1876 R1877	1-208-824-11 1-216-025-91	METAL CHIP METAL CHIP METAL GLAZE METAL CHIP	27K 56K 100 15K	0.50% 5%	1/10W 1/10W 1/10W 1/10W	R1958 R1959 R1960 R1961	1-208-824-11 1-208-806-11 1-208-806-11	METAL CHIP METAL CHIP METAL CHIP METAL CHIP	5.6K 56K 10K 10K	0.50% 0.50% 0.50% 0.50%	1/10W 1/10W 1/10W 1/10W
R1878 R1879 R1880 R1881	1-216-685-11 1-218-768-11 1-216-295-91	METAL CHIP METAL CHIP METAL CHIP CONDUCTOR, C	10K 27K 470K HIP 12K	0 50% 0 50%	1/10W 1/10W 1/10W	R1962 R1963 R1964 R1965	1-216-077-00 1-216-073-00 1-216-049-91	METAL GLAZE METAL GLAZE METAL GLAZE METAL GLAZE	15K 10K 1K	5% 5% 5% 5%	1/10W 1/10W 1/10W 1/10W
R1883 R1884 R1885	1-208-806-11	METAL CHIP METAL CHIP METAL GLAZE	10K		1/10W 1/10W 1/10W	R1966 R1967	1-216-073-00	METAL GLAZE METAL GLAZE	10K	5% 5%	1/10W 1/10W
R1886 R1887 R1888	1-216-031-00 1-208-806-11	METAL GLAZE METAL CHIP METAL CHIP		5% 0 50%	1/10W 1/10W 1/10W	R1970 R1971 R1972 R1981	1-216-667-11 1-216-111-91	METAL CHIP METAL CHIP METAL GLAZE METAL OXIDE		0 50% 0 50% 5% 5%	1/10W 1/10W 1/10W 3W F
R1889 R1890 R1891 R1892 R1893	1-216-125-00 1-208-806-11 1-216-061-00	METAL CHIP METAL GLAZE METAL CHIP METAL GLAZE METAL GLAZE	10K 3 3K	0 50% 5% 0 50% 5% 5%	1/10W 1/10W 1/10W 1/10W 1/10W	R1982 R1983 R1984 R1985	1-216-473-11 1-216-077-00 1-216-077-00	METAL OXIDE METAL GLAZE METAL GLAZE METAL GLAZE	56 15K 15K	5% 5% 5% 5%	3W F 1/10W 1/10W 1/10W
	<u># 1-249-389-91</u>		4.7	5%	1/4W F						
R1895 R1896 R1897 R1898	1-249-389-91 1-216-097-91	METAL GLAZE CARBON METAL GLAZE METAL GLAZE	4.7 100K	5% 5% 5% 5%	1/10W 1/4W F 1/10W 1/10W	TH1501 TH1801		<thermistor:< p=""> THERMISTOR THERMISTOR</thermistor:<>	>		
R1899 R1900		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W			<crystal></crystal>			
R1901 R1902 R1903	1-216-025-91 1-216-025-91	METAL GLAZE METAL GLAZE METAL GLAZE	100 100	5% 5% 5%	1/10W 1/10W 1/10W	X1701	1-579-917-11	VIBRATOR, CR	YSTAL		
R1904 R1905		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W	*******	******	******	*****	******	****
R1907 R1908 R1909	1-208-810-11 1-208-814-11	METAL CHIP METAL CHIP METAL GLAZE	15K 22K	0 50% 0 50% 5%	1/10W 1/10W 1/10W		* A-1372-099-A	HA BOARD, C			
R1910 R1911 R1912	1-216-685-11	METAL CHIP METAL CHIP METAL CHIP	27K 27K 27K	0 50% 0 50% 0 50%	1/10W 1/10W 1/10W			<capacitor></capacitor>			
R1913 R1914		METAL CHIP METAL CHIP	27K 27K	0 50% 0 50%	1/10W 1/10W	C1301 C1304	1-126-964-11 1-126-964-11		10MF 10MF	20% 20%	50V 50V
R1915 R1916 R1917 R1918 R1919	1-216-025-91 1-208-806-11 1-216-667-11	METAL CHIP METAL GLAZE METAL CHIP METAL CHIP METAL CHIP	27K 100 10K 4 7K 47K	0 50% 5% 0.50% 0.50% 0 50%	1/10W 1/10W 1/10W 1/10W 1/10W	CN1346	1-564-524-11	<connector></connector>			
R1920	1-216-667-11	METAL CHIP	47K	0 50%	1/10W			PLUG, CONNEC			
R1923 R1925	1-216-031-00	METAL CHIP METAL GLAZE		0 50% 5% 0 50%	1/10W 1/10W 1/10W			<diode></diode>			
R1926 R1927 R1928	1-216-125-00	METAL CHIP METAL GLAZE METAL CHIP	10K 1 5M 10K	5%	1/10W 1/10W	D1304 D1305		DIODE SLR-325 DIODE SLR-325			
R1931 R1935	1-216-698-11	METAL CHIP METAL CHIP	91K 390K	0 50% 0 50%	1/10W 1/10W			<ic></ic>			
R1937 R1938		METAL CHIP METAL CHIP	10K 15K	0 50% 0 50%	1/10W 1/10W	IC1301	8-741-780-51	IC SBX1780-51			
R1940 R1941	1-208-806-11	METAL CHIP METAL CHIP	18K 10K	0 50% 0 50%	1/10W 1/10W			<jack></jack>			
R1942 R1943 R1944	1-216-699-11	METAL CHIP METAL CHIP METAL CHIP	10K 100K 10K	0 50% 0 50% 0.50%	1/10W 1/10W 1/10W	J1301	1-750-517-11	JACK BLOCK, I	PIN 3P		
R1947 R1948		METAL GLAZE METAL GLAZE	68K	5% 5%	1/10W 1/10W			<resistor></resistor>			
R1949 R1950 R1951	1-216-659-11 1-216-659-11	METAL CHIP METAL CHIP METAL CHIP	2 2K 2 2K 10K	0 50% 0 50% 0 50%	1/10W 1/10W 1/10W	R1302 R1303 R1304 R1305	1-249-416-11 1-249-417-11 1-249-425-11 1-249-411-11	CARBON CARBON	820 1K 4 7K 330	5% 5% 5% 5%	1/4W 1/4W 1/4W 1/4W
R1952 R1954		METAL CHIP METAL CHIP	10 K 10 K	0 50% 0 50%	1/10W 1/10W	R1306	1-249-411-11	CARBON	330	5%	1/4W
R1955 R1956		METAL CHIP METAL CHIP	10 K 5 6 K	0 50% 0.50%	1/10W 1/10W	R1307 R1308	1-249-420-11 1-247-895-91		1 8K 470K	5% 5%	1/4W 1/4W



							Diamaro)	
REF. NO.	PART NO.	DESCRIPTION			EMARK	REF NO	PART NO	DESCRIPTION	REMARK
R1309 R1310 R1311	1-247-895-91 1-249-429-11 1-247-815-91	CARBON	470K 10K 220	5% 5% 5%	1/4W 1/4W 1/4W	CJ1101	1-216-295-91	<chip conductor=""> CONDUCTOR, CHIP</chip>	
R1312 R1314	1-247-804-11 1-247-807-31		75 100	5% 5%	1/4W 1/4W			<filter block=""></filter>	
		<switch></switch>				CM1101	1-473-595-11	COMB FILTER BLOCK	
S1301		SWITCH, TACTI						<connector></connector>	
\$1302 \$1303 \$1304 \$1305	1-571-731-11 1-571-731-11 1-571-731-11	SWITCH, TACTI SWITCH, TACTI SWITCH, TACTI SWITCH, TACTI	IL IL IL			CN1150 CN1155	1-573-300-21 * 1-565-928-11	PLUG, CONNECTOR 6P CONNECTOR, BOARD CONNECTOR (TUB) 30I CONNECTOR, HINGE (TO BOARD 18P P
\$1306 \$1307		SWITCH, TACTI						<diode></diode>	
						D1101		DIODE RD10ESB2	
		**************************************	MPLETE ()			D1102 D1103 D1104 D1105	8-719-110-17 8-719-110-17	DIODE RD10ESB2 DIODE RD10ESB2 DIODE RD10ESB2 DIODE RD10ESB2	
	* A-1373-562-A	U BOARD, CO				D1106	8-719-110-17	DIODE RD10ESB2	
		CADACUTOR.	(KP-4	11T25/46S	\$25/53\$25)	D1107 D1108 D1109 D1111	8-719-110-17 8-719-110-17	DIODE RD10ESB2 DIODE RD10ESB2 DIODE RD10ESB2 DIODE RD10ESB2	
		<capacitor></capacitor>				D1112		DIODE RD10ESB2	
C1101 C1102 C1103 C1104 C1105	1-126-965-11 1-124-903-11 1-124-903-11 1-163-031-11 1-126-965-11	ELECT ELECT CERAMIC CHIP	22MF 1MF 1MF 0 01MF 22MF	20% 20% 20% 20%	50V 50V 50V 50V 50V	D1113 D1114 D1115 D1120	8-719-110-17 8-719-110-17	DIODE RD10ESB2 DIODE RD10ESB2 DIODE RD10ESB2 DIODE RD10ESB2	
C1105	1-126-965-11		22MF	20%	50V	D1121 D1122		DIODE MTZJ-13 DIODE MTZJ-13	
C1107 C1108 C1109	1-124-903-11 1-124-903-11 1-126-965-11	ELECT ELECT ELECT	1MF 1MF 22MF	20% 20% 20%	50V 50V 50V 50V	D1123 D1124 D1125	8-719-921-86 8-719-921-86	DIODE MTZJ-13 DIODE MTZJ-13 DIODE RD5 1ESB1	
C1110	1-124-903-11		1MF	20%		D1126		DIODE RD10ESB2 DIODE RD10ESB2	
C1111 C1121	1-124-903-11 1-126-935-11	ELECT	1MF 470MF	20% 20%	50V 16V	D1127 D1135		DIODE ISS133T-77	
C1122 C1123 C1124	1-163-117-00 1-124-903-11 1-126-965-11		100PF 1MF 22MF	5% 20% 20%	50V 50V 50V			<ic></ic>	
C1125 C1126	1-124-903-11 1-104-665-11		1MF 100MF	20% 20%	50V 25V	IC1101 IC1102		IC CXA1855S IC NJM78M09FA	
C1127 C1128	1-104-663-11		33MF	20% 5%	25V 50V	IC1102		IC NJM78M09FA	
C1129	1-126-965-11		22MF	20%	50V S25/53S25)			<jack></jack>	
C1130	1-109-889-11	ELECT	1MF (KP-4	20% 41T25/46	50V \$25/53\$25)	J1101 J1102		TERMINAL BLOCK, S 3 JACK BLOCK, PIN 3P	3P
C1131	1-109-889-11	ELECT	1MF	20%	50V S25/53S25)	J1104 J1105		JACK BLOCK, PIN 3P JACK BLOCK, PIN 2P	
C1132 C1133	1-124-902-00 1-126-965-11		0 47MF 22MF	20% 20%	50V 50V	J1106		JACK, MINIATUER (DI	A 35)
C1134	1-104-665-11		100MF	20%	25V	J1107	1-563-760-11	JACK, MINIATUER (DI	A 35)
C1136 C1137	1-126-965-11	ELECT CERAMIC CHIP	22MF	20% 10%	50V 50V			<coil></coil>	
C1138 C1139	1-124-902-00 1-126-964-11	ELECT	0 47MF 10MF	20% 20%	50V 50V	L1101	1,410,476,11	INDUCTOR 33UH	
C1145	1-126-934-11		220MF	20%	16V	L1104 L1105	1-410-473-11	INDUCTOR 18UH INDUCTOR 1mH	
C1146 C1147	1-124-902-00 1-124-902-00		0 47MF 0 47MF	20% 20%	50V 50V	121103	1-410-434-11	I DOCTOR THAT	
C1147 C1148 C1149	1-124-902-00 1-124-902-00 1-124-902-00	ELECT	047MF	20% 20% 20%	50V 50V			<transistor></transistor>	
C1149 C1150	1-124-902-00		0 47MF 220MF	20%	16V	Q1102		TRANSISTOR 2SA1162-	
C1151	1-126-934-11		220MF	20%	16V	Q1103 Q1104	8-729-422-27	TRANSISTOR 2SA1162- TRANSISTOR 2SD601A	-Q
C1152 C1153	1-126-934-11 1-104-665-11		220MF 100MF	20% 20%	16V 25V	Q1105 Q1106		TRANSISTOR 2SA1162- TRANSISTOR 2SA1162-	



REF NO	PART NO	DESCRIPTION		REMARK	REF NO	PART NO	DESCRIPTION			REMARK
Q1107	8-729-422-27	TRANSISTOR 2SD	0601A-Q	***********	R1169		METAŁ GLAZE		5%	1/10W
Q1108	8-729-422-27	TRANSISTOR 2SD TRANSISTOR 2SA	(KP-41T25 0601A-Q	/46S25/53S25)	R1170 R1171		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W
Q1109 Q1110	8-729-216-22	TRANSISTOR 2SA	1162-G		R1172 R1173		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W
Q1111		TRANSISTOR 2SA			R1174	1-216-041-00	METAL GLAZE	470	5%	1/10W
Q1112 Q1113		TRANSISTOR 2SD TRANSISTOR 2SD			R1175 R1176		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W
Q1114 Q1115		TRANSISTOR 2SD TRANSISTOR 2SD			R1178	1-216-041-00	METAL GLAZE	470	5%	1/10W
Q	· · · · · · · · · · · · · · · · · · ·				R1179 R1180		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W
		<resistor></resistor>			R1181 R1182	1-216-097-91	METAL GLAZE METAL GLAZE	100K	5% 5%	1/10W 1/10W
R1101		METAL GLAZE 4		1/10W						
R1102 R1103	1-216-065-00 1-247-804-11	METAL GLAZE 4 CARBON 7:	7K 5% 5% 5%	1/10W 1/4W	R1183 R1184	1-216-113-00	METAL GLAZE METAL GLAZE	470K	5% 5%	1/10W 1/10W
R1104 R1105	1-216-065-00 1-247-804-11	METAL GLAZE 4 CARBON 7	7K 5% 5% 5%	1/10W 1/4W	R1185 R1186		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W
R1106	1-247-804-11		5 5%	1/4W	R1187	1-216-061-00	METAL GLAZE	3 3K	5%	1/10W
R1107 R1108	1-216-113-00	METAL GLAZE 4 METAL GLAZE 4	70K 5%	1/10W 1/10W	R1188 R1190		METAL GLAZE CONDUCTOR, C		5%	1/10W
R1109	1-216-113-00	METAL GLAZE 4	70K 5%	1/10W	R1191	1-216-295-91	CONDUCTOR, C	CHIP		
R1110	1-216-065-00	METAL GLAZE 4	7K 5%	1/ 10W	R1192 R1193		CONDUCTOR, C METAL GLAZE		5%	1/10W
R1111 R1112		METAL GLAZE 4 METAL GLAZE 4		1/10W 1/10W	R1194	1-216-025-91	METAL GLAZE	100	5%	1/10W
R1113 R1114	1-247-804-11		5 5%	1/4W 1/10W	R1195	1-216-025-91	METAL GLAZE		5% 1T25/4	1/10W 5S25/53S25)
R1115		METAL GLAZE 4		1/10W	R1196 R1197		METAL GLAZE METAL GLAZE	470	5% 5%	1/10W 1/10W
R1116		METAL GLAZE 8		1/10W	KII9/	1-210-041-00	METAL GLAZE	470	370	1/10**
R1117 R1118		METAL GLAZE 8 METAL GLAZE 8	2K 5%	1/10W 1/10W						
R1119 R1120		METAL GLAZE 1 METAL GLAZE 1		1/10W 1/10W	******	******	*******	******	*****	******
R1127		METAL GLAZE 4		1/10W		* A-1390-487-A	ZR BOARD, CO	OMPLETE (*******	(KP-41'	Γ25)
R1129 R1130	1-216-041-00	METAL GLAZE 4 METAL GLAZE 5	70 5%	1/10W 1/10W	d 3 3 1	* A_1390_513_A	ZR BOARD, CO	OMPLETE		
R1132	1-216-025-91	METAL GLAZE 1	00 5%	1/10 W		A-1370-313-A	******	******	600515	2017/62026\
R1133		METAL GLAZE 5		1/10W			•			3S17/53S25)
R1134 R1135		METAL GLAZE 4 METAL GLAZE 4	7K 5%	1/10W 1/10W		4-382-854-11	SCREW (M3X10), P, SW (+))	
R1137	1-216-025-91	METAL GLAZE 1		/46S25/53S25) 1/10W			<capacitor></capacitor>			
R1138		METAL GLAZE 4	(KP-41T25	/46S25/53S25) 1/10W	C1403	1-102-978-00	CERAMIC	220PF	5%	50V
		METAL GLAZE 1	(KP-41T25	/46S25/53S25) 1/10W		1-107-638-11		33MF	20%	(KP-41T25) 160V
R1140									20%	(KP-41T25)
R1141 R1142	1-216-025-91	METAL GLAZE 4 METAL GLAZE 1	100 5%	1/10W 1/10W	C1405	1-104-665-11		100MF		25V (KP-41T25)
R1145 R1146		METAL GLAZE 1 METAL GLAZE 1		1/10W 1/10W	C1406	1-107-370-11		0 IMF	10%	200V (KP-41T25)
R1149	1-216-041-00	METAL GLAZE 4	170 5%	1/10W	C1407	1-104-665-11	FLECT	100MF	20%	25V (KP-41T25)
R1150 R1151						1-104-003-11	ELECT			,
		METAL GLAZE 1		1/10W	C1408			0 0047MF	10%	200V
R1152	1-216-025-91 1-216-043-91	METAL GLAZE 1 METAL GLAZE 5	100 5% 560 5%	1/10W 1/10W	C1408	1-107-362-11	FILM	0 0047MF		200V (KP-41T25)
	1-216-025-91 1-216-043-91 1-216-049-91	METAL GLAZE 1	100 5% 560 5% 1K 5%	1/10W	C1409	1-107-362-11 1-107-667-11	FILM ELECT	2 2MF	20%	(KP-41T25) 160V (KP-41T25)
R1152 R1153	1-216-025-91 1-216-043-91 1-216-049-91 1-216-041-00 1-216-049-91	METAL GLAZE 1 METAL GLAZE 1 METAL GLAZE 4 METAL GLAZE 1	100 5% 560 5% 1K 5% 170 5%	1/10W 1/10W 1/10W 1/10W	C1409 C1410	1-107-362-11 1-107-667-11 1-107-362-11	FILM ELECT FILM	2 2MF 0 0047MF	20% 10%	(KP-41T25) 160V (KP-41T25) 200V (KP-41T25)
R1152 R1153 R1154 R1155 R1156	1-216-025-91 1-216-043-91 1-216-049-91 1-216-041-00 1-216-043-91	METAL GLAZE 1 METAL GLAZE 5 METAL GLAZE 1 METAL GLAZE 4 METAL GLAZE 1 METAL GLAZE 5	100 5% 560 5% 1K 5% 170 5% 1K 5% 560 5%	1/10W 1/10W 1/10W 1/10W	C1409	1-107-362-11 1-107-667-11	FILM ELECT FILM	2 2MF	20% 10%	(KP-41T25) 160V (KP-41T25) 200V
R1152 R1153 R1154 R1155	1-216-025-91 1-216-043-91 1-216-049-91 1-216-041-00 1-216-043-91 1-216-045-00	METAL GLAZE 1 METAL GLAZE 1 METAL GLAZE 4 METAL GLAZE 1	100 5% 560 5% 1K 5% 170 5% 1K 5% 560 5% 580 5% 560 5%	1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W	C1409 C1410 C1411 C1412	1-107-362-11 1-107-667-11 1-107-362-11	FILM ELECT FILM FILM	2 2MF 0 0047MF	20% 10% 5%	(KP-41T25) 160V (KP-41T25) 200V (KP-41T25) 50V (KP-41T25) 50V
R1152 R1153 R1154 R1155 R1156 R1157	1-216-025-91 1-216-043-91 1-216-049-91 1-216-041-00 1-216-043-91 1-216-045-00 1-216-043-91	METAL GLAZE 1 METAL GLAZE 1 METAL GLAZE 4 METAL GLAZE 1 METAL GLAZE 1 METAL GLAZE 5 METAL GLAZE 5	100 5% 160 5% 1K 5% 170 5% 1K 5% 1K 5% 1660 5% 1660 5% 167 1725 1680 5%	1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W	C1409 C1410 C1411 C1412	1-107-362-11 1-107-667-11 1-107-362-11 1-137-364-11 1-137-364-11	FILM ELECT FILM FILM FILM	2 2MF 0 0047MF 0 001MF 0 001MF	20% 10% 5% 5%	(KP-41T25) 160V (KP-41T25) 200V (KP-41T25) 50V (KP-41T25) 50V (KP-41T25)
R1152 R1153 R1154 R1155 R1156 R1157 R1158	1-216-025-91 1-216-043-91 1-216-049-91 1-216-041-00 1-216-043-91 1-216-045-00 1-216-045-00	METAL GLAZE 1 METAL GLAZE 2 METAL GLAZE 4 METAL GLAZE 4 METAL GLAZE 5 METAL GLAZE 5 METAL GLAZE 6 METAL GLAZE 6 METAL GLAZE 6	100 5% 160 5% 16K 5% 170 5% 16K 5% 160 5%	1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 5/46S25/53S25) 1/10W 5/46S25/53S25)	C1409 C1410 C1411 C1412 C1413	1-107-362-11 1-107-667-11 1-107-362-11 1-137-364-11 1-137-364-11 1-161-830-00	FILM ELECT FILM FILM FILM CERAMIC	2 2MF 0 0047MF 0 001MF 0 001MF 0 0047MF	20% 10% 5% 5%	(KP-41T25) 160V (KP-41T25) 200V (KP-41T25) 50V (KP-41T25) 50V (KP-41T25) 500V (KP-41T25)
R1152 R1153 R1154 R1155 R1156 R1157 R1158	1-216-025-91 1-216-043-91 1-216-049-91 1-216-041-00 1-216-043-91 1-216-043-91 1-216-043-91 1-216-045-00 1-216-045-00	METAL GLAZE 1 METAL GLAZE 2 METAL GLAZE 4 METAL GLAZE 1 METAL GLAZE 5 METAL GLAZE 5 METAL GLAZE 6 METAL GLAZE 5	100 5% 160 5% 1K 5% 1K 5% 1K 5% 1K 5% 160 5%	1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 6/46S25/53S25) 1/10W 6/46S25/53S25)	C1409 C1410 C1411 C1412 C1413 C1414	1-107-362-11 1-107-667-11 1-107-362-11 1-137-364-11 1-137-364-11 1-161-830-00 1-104-661-91	FILM ELECT FILM FILM FILM CERAMIC ELECT	2 2MF 0 0047MF 0 001MF 0 001MF 0 0047MF 330MF	20% 10% 5% 5% 20%	(KP-41T25) 160V (KP-41T25) 200V (KP-41T25) 50V (KP-41T25) 50V (KP-41T25) 500V (KP-41T25) 16V (KP-41T25)
R1152 R1153 R1154 R1155 R1156 R1157 R1158 R1159	1-216-025-91 1-216-043-91 1-216-049-91 1-216-041-00 1-216-043-91 1-216-043-91 1-216-045-00 1-216-045-00 1-216-049-91 1-216-041-00 1-216-041-00	METAL GLAZE 1 METAL GLAZE 2 METAL GLAZE 4 METAL GLAZE 4 METAL GLAZE 5 METAL GLAZE 6 METAL GLAZE 6 METAL GLAZE 6 METAL GLAZE 6 METAL GLAZE 6 METAL GLAZE 6 METAL GLAZE 6	100 5% 160 5% 16K 5% 170 5% 18K 5% 1660 5% 168	1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 5/46S25/53S25) 1/10W 5/46S25/53S25)	C1409 C1410 C1411 C1412 C1413	1-107-362-11 1-107-667-11 1-107-362-11 1-137-364-11 1-137-364-11 1-161-830-00	FILM ELECT FILM FILM FILM CERAMIC ELECT	2 2MF 0 0047MF 0 001MF 0 001MF 0 0047MF	20% 10% 5% 5%	(KP-41T25) 160V (KP-41T25) 200V (KP-41T25) 50V (KP-41T25) 50V (KP-41T25) 500V (KP-41T25) 16V (KP-41T25)
R1152 R1153 R1154 R1155 R1156 R1157 R1158 R1159	1-216-025-91 1-216-043-91 1-216-049-91 1-216-049-91 1-216-043-91 1-216-045-00 1-216-045-00 1-216-041-00 1-216-041-00 1-216-041-00 1-249-403-11	METAL GLAZE 1 METAL GLAZE 2 METAL GLAZE 4 METAL GLAZE 4 METAL GLAZE 5 METAL GLAZE 6 METAL GLAZE 6 METAL GLAZE 6 METAL GLAZE 6 METAL GLAZE 6 METAL GLAZE 6 METAL GLAZE 6	100 5% 160 5% 11K 5% 11K 5% 12K 5% 13K 5% 14K 5% 150 5%	1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 6/46S25/53S25) 1/10W 6/46S25/53S25)	C1409 C1410 C1411 C1412 C1413 C1414	1-107-362-11 1-107-667-11 1-107-362-11 1-137-364-11 1-137-364-11 1-161-830-00 1-104-661-91	FILM ELECT FILM FILM FILM CERAMIC ELECT CERAMIC	2 2MF 0 0047MF 0 001MF 0 001MF 0 0047MF 330MF	20% 10% 5% 5% 20%	(KP-41T25) 160V (KP-41T25) 200V (KP-41T25) 50V (KP-41T25) 50V (KP-41T25) 16V (KP-41T25) 50V (KP-41T25) 50V (KP-41T25) 50V
R1152 R1153 R1154 R1155 R1156 R1157 R1158 R1159 R1160 R1161 R1162 R1165	1-216-025-91 1-216-043-91 1-216-049-91 1-216-043-91 1-216-045-00 1-216-045-00 1-216-045-00 1-216-045-00 1-216-041-00 1-216-041-00 1-249-403-11 1-216-113-00 1-216-113-00	METAL GLAZE 1 METAL GLAZE 5 METAL GLAZE 4 METAL GLAZE 1 METAL GLAZE 6 METAL GLAZE 6 METAL GLAZE 6 METAL GLAZE 6 METAL GLAZE 6 METAL GLAZE 6 METAL GLAZE 6 METAL GLAZE 6 METAL GLAZE 6 METAL GLAZE 6 METAL GLAZE 6 METAL GLAZE 6	100 5% 160 5% 16K 5% 170 5% 16K 5% 16G 5% 16G 5% 16G 5% 16G 5% 16H 5% 170 5% 170 5% 170 5% 170 5% 170 5% 170 5% 170 5% 170 5% 170 5% 170 5%	1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 5/46S25/53S25) 1/10W 5/46S25/53S25) 1/10W 1/10W 1/10W 1/10W	C1409 C1410 C1411 C1412 C1413 C1414 C1415	1-107-362-11 1-107-667-11 1-107-362-11 1-137-364-11 1-137-364-11 1-161-830-00 1-104-661-91 1-102-947-00	FILM ELECT FILM FILM FILM CERAMIC ELECT CERAMIC	2 2MF 0 0047MF 0 001MF 0 001MF 0 0047MF 330MF 10PF	20% 10% 5% 5% 20% 0 5PF	(KP-41T25) 160V (KP-41T25) 200V (KP-41T25) 50V (KP-41T25) 50V (KP-41T25) 16V (KP-41T25) 50V (KP-41T25) 50V (KP-41T25)

The componants identified by shading and mark riangle are critical for safety.
Replace only with part number specified.

Les composants identifies par une trame et une marque Λ sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie



ZG



REF NO	PART NO.	DESCRIPTION			REMARK	REF NO	PART NO	DESCRIPTION			REMARI	ζ_	
		<connector></connector>	•					<connector></connector>					
CN1412 CN1413 CN1414	* 1-564-507-11 * 1-564-506-11 * 1-564-509-11	PIN, CONNECTOR (PC BOARD) 4P PLUG, CONNECTOR 4P PLUG, CONNECTOR 3P PLUG, CONNECTOR 6P (KP-41T25) PLUG, CONNECTOR 3P (KP-46S17/46S25/53S17/53S25)				CN1442 CN1443 CN1445	* 1-564-507-11 * 1-564-506-11 * 1-564-506-11	PIN, CONNECTOR (PC BOARD) 4P PLUG, CONNECTOR 4P PLUG, CONNECTOR 3P PLUG, CONNECTOR 3P (KP-46S17/46S25/53S17/53S25 PLUG, CONNECTOR 7P (KP-41T25)				325)	
CN1415 CN1416		PLUG, CONNECTAB (CONTACT			25)			<resistor></resistor>					
		<diode></diode>				R1431 R1432 R1435	1-249-414-11 1-249-414-11 1-216-475-11		560 560 120	5% 5% 5%	1/4W 1/4W 3W	F	
D1401 D1402		DIODE MTZJ-13 DIODE MTZJ-13				R1436 R1437		METAL OXIDE		5% 5%	3W 1/4W (KP-41T	F	
	<transistor></transistor>												
Q1401 Q1402 Q1403	8-729-017-05	TRANSISTOR 2SC4793 (KP-41T25) TRANSISTOR 2SA1837 (KP-41T25) TRANSISTOR 2SD774-34 (KP-41T25)				******		**************************************					
		<resistor></resistor>											
R1401 R1402 R1405	1-249-414-11 1-249-414-11 1-249-417-11	CARBON	560 560 1K	5% 5% 5%	1/4W 1/4W 1/4W	CN1471	* 1-580-689-11	<connector> PIN, CONNECTOR</connector>		ARD) 4	P		
R1406	1-216-479-11	METAL OXIDE	560	5%	(KP-41T25) 3W F			PLUG, CONNECTOR 4P PLUG, CONNECTOR 3P					
R1407	1-249-400-11	CARBON	39	5%	(KP-41T25) 1/4W F (KP-41T25)			<resistor></resistor>					
R1408	1-249-384-11	CARBON	1 8	5%	1/4W F	R1461 R1462	1-249-414-11 1-249-414-11		560 560	5% 5%	1/4W 1/4W		
R1409	1-249-384-11	CARBON	1 8	5%	(KP-41T25) 1/4W F (KP-41T25)	R1465 R1466	1-216-475-11	METAL OXIDE METAL OXIDE	120	5% 5%	3W 3W	F F	
R1410	1-247-734-11	CARBON	39	5%	1/2W F (KP-41T25)	K1400	1 210 113 11	WILLIAM ONLDE	120	570	511	•	
R1411	1-249-417-11		1 K	5%	1/4W F (KP-41T25)	******	******	******	******	*****	******	***	
R1412	1-249-414-11	CARBON	560	5%	1/4W (KP-41T25)			MISCELLANEO					
R1413	1-249-432-11		18K	5%	1/4W (KP-41T25)			RESISTOR ASS			E)		
R1414	1-249-432-11		18K	5%	1/4W (KP-41T25)				KP-46S17/4		3S17/53S	(25)	
R1415	1-249-414-11		560	5%	1/4W F (KP-41T25)		1-556-945-21		A)				
R1416 R1417		METAL OXIDE		5%	2W F (KP-41T25)		1-557-056-41		ZD 4681716	2017)			
R1417	1-249-377-11	METAL OXIDE	0 47	5% 5%	3W F			JACK, PIN (F) (F) CORD, POWER(SE FILT	TER) 7.0A/12	53/3	
R1419	1-247-815-91		220	5%	(KP-41T25) 1/4W			LEAD ASSY, HY DEFLECTION Y			7.07012		
R1420 R1421		METAL OXIDE		5% 5%	(KP-41T25) 3W F 1/4W		∆ 8-451-463-21	DEFLECTION Y BLOCK ASSY 1	OKE (Y829	PA2N2)		
		*			(KP-41T25)		△ 8-736-075-05	PICTURE TUBE PICTURE TUBE	07MAC2(C 07MAC2 (3) B)	5 S 17/46S	(25)	
****************								PICTURE TUBE	07MAC3(E	3) (KP-5)	3S17/53S		
* A-1390-489-A ZG BOARD, COMPLETE (KP-41T25)								PITURE TUBE 0	(KP-4	1T25/46	SS17/46S	(25)	
* A-1390-512-A ZG BOARD, COMPLETE ***********************************						A 8-736-077-25	PICTURE TUBE	07MAC3(F		8817/538	(25)		
						******	******	******	*****	******	******	***	
C1422	1 100 000 00	<capacitor></capacitor>	10000	FO									
C1433	1-102-973-00	CERAMIC	100PF	5%	50V (KP-41T25)								

REF. NO	PART NO.	DESCRIPTION	REMARK	REF NO	PART NO	DESCRIPTION	REMARK
	ACCESSORIES AND PACKING MATERIALS ************************************				* 4-048-105-01	CUSHION (LOWER) (ASSY)	-46S17/46S25)
						CUSHION (UPPER) (ASSY) (KP-	-41T25)
		BAG, POLYETHYLENE	(005/50005)			CUSHION (LOWER) (ASSY) (KI	² -41125)
		MANUAL, INSTRUCTION (KP-40	5825/53825)			TRAY (KP-41T25)	30.53
	3-830-233-11	MANUAL, INSTRUCTION	16017/50017		* 4-048-382-01	INDIVIDUAL CARTON (KP-41T	25)
	2 056 222 21	MANUAL, INSTRUCTION (Canad	46S17/53S17)		* 4 040 155 01	BAG, PROTECTION (KP-41T25)	
		BOARD, TOP (KP-46S17/46S25)	Jian modei)			LID, SPEAKER GRILLE	
	4-03/-0/4-01	BOARD, TOF (RF-40317/40323)			4-030-330-01	(KP-46S17/46S25	/53517/53525\
	* 4-041-423-01	SHEET, PROTECTION			* 4-051-491-01	BLOCK, FOAM (KP-53S17/53S2	
	1 011 123 01		46S17/46S25)		1 031 171 01	DECCH, I CHINI (III 3301/13352.	<i>'</i>
	* 4-041-425-01	BAG, PROTECTION (KP-46S17/4					
		BAG, PROTECTION (KP-53S17/5					
	* 4-042-463-01	SHEET, PROTECTION (KP-53S17	7/53S25)			REMOTE COMMANDER	

		PLATE, TOP (KP-53S17/53S25)					
		PLATE, BOTTOM (KP-53S17/53S	25)		1-467-059-21	REMOTE COMMANDER (RM-Y	
		TRAY (KP-53S17/53S25)					-46S25/53S25)
		INDIVIDUAL CARTON (KP-53S1			9-903-826-01	POCKET, COVER (FOR RM-Y11	
	* 4-047-778-01	CUSHION (UPPER) (ASSY) (KP-5	53S17/53S25)			(KP-	-46S25/53S25)
	* 4 047 770 01	CUSHION (LOWER) (ASSY)			1 467 621 11	REMOTE COMMANDER (RM-Y	(121)
	4-04/-//9-01		53S17/53S25)		1-407-021-11		/46S17/53S17)
	* 4-048-101-01	INDIVIDUAL CARTON (KP-46SI			9-903-826-01	POCKET, COVER (FOR RM-Y12	
		TRAY (KP-46S17/46S25)			2 200 020-01		/46S17/53S17)
		BOARD, BOTTOM (KP-46S17/46S	S25)			(111 11125)	
		CUSHION (UPPER) (ASSY) (KP-4					